

# Electrical

E



**Adapters**

**Battery Boxes**

**Battery Connectors**

**Bulbs**

**Converters**

**Cords**

**Fuses**

**Hatches**

**Inverters**

**Lighting**

**Solar Panels**

**Surge Protectors**

**Switches**

**Trailer Connectors**

**Wiring**

**750 Series Ceiling Lights**

RV and Marine Interior Lighting. Versatile design with interchangeable frosted white lenses. High impact, heat resistant ABS white plastic frame/body. Full metal reflector pans. Large slide switch. Prewired and color-coded. UL and CSA approved. Bulb: #1141. Candle Power: 21. Amps: 1.44. Voltage: 12. **Single:** 6 3/8" L x 5 9/16" W x 1 5/8" H **Double:** 11 7/16" L x 5 9/16" W x 1 5/8" H

**1-12377** (Mfg# PD751WWV) Sgl, Wht \$5.99  
**1-12378** (Mfg# PD752WWV) Dbl, Wht \$10.39

**Aurora™ 770 Series**

Low profile design. High impact ABS heat resistant plastic white frame. Full metal reflector pans. Prewired and color-coded. Full Patented design. UL and CSA approved. Bulb: #1141. Candle Power: 21. Amps: 1.44. Voltage: 12V. **Single:** 6 5/8" L x 4" W x 1 9/16" H **Double:** 11 1/2" L x 4" W x 1 9/16" H

**1-14591** (Mfg# PD771WWV) Sgl, Wht \$5.39  
**1-14592** (Mfg# PD772WWV) Dbl, Wht \$9.39

**780 Series Euro Style Light**

Low profile design. New high temp. and high clarity lens. White frame is heat resistant and high impact plastic. Lenses are frosted white opal with clear center. Aluminum reflector pans. Prewired and color-coded. UL approved for U.S. and Canada. Bulb: #1141. Candle Power: 21. Amps: 1.44. Voltage: 12. **Single:** 7" L x 4 1/2" W x 1 3/4" H **Double:** 11 7/8" L x 4 1/2" W x 1 3/4" H

**1-12212** (Mfg# PD781WSBCV) Sgl, Wht \$5.19  
**1-12213** (Mfg# PD782WSBCV) Dbl, Wht \$8.99

**790 Series Light**

Heat-resistant, high impact white polymer frame and lenses. 2-position switch and Power Port. 12V DC. Bulb: #1141.

**Double light:** Candle Power: 42 Amps: 2.88  
**Double:** 12.8" L X 4.5" W X 1.75" H

**1-12249** (Mfg# PD792WPWV) Dbl, Wht \$10.49

**PD220 Series Fluorescent Light**

ON/OFF rocker switch. Reverse polarity protection. Translucent acrylic lens. Heat resistant white ABS frame. Surface mount. Meets FCC requirements for noise and interference. High efficiency electronic ballast. 12 Volt.

Bulb: F8T5/CW. Amps: 1.2 Lumens: 800 Dimensions: 5 1/2" W x 18 7/8" L x 1 7/16"

**1-12445** (Mfg# PD222F8CWCV) Dbl. \$45.20

**Replacement Lenses**

Frosted w/clear center for 750 & 760 Series

**1-12375** (Mfg# PD304) 2/Pk \$2.69

White for 750 & 760 Series

**1-12376** (Mfg# PD305) 2/Pk \$2.69

Aurora for 770 Series

**1-14593** (Mfg# PD307) 2/Pk \$2.69

Pearl for 780 Series

**1-12379** (Mfg# PD312) 2/Pk \$2.50

Optic for 791 Series

**1-12382** (Mfg# PD313) 2/Pk \$2.69

White for 791 Series

**1-12380** (Mfg# PD315) 2/Pk \$2.69

White for 792 Series

**1-12381** (Mfg# PD316) 2/Pk \$2.19

**787 Series Bullet Light**

75° extension and 300° rotation. Metal reflector intensifies light and dissipates heat. 2-position rocker switch. 12V.

Bulb: #1141. Candle Power: 21 Amps: 1.44

**Overall size:** 5" L x 3 1/4" W x 4" H

**Max. Extension:** 5" L x 3 3/8" W x 5 3/8" H

**1-12253** (Mfg# PD787-26V) White \$14.69

**Single Clip-On Bunk Light**

Heat-resistant, high impact polymer frame. Two position switch. One #1141 bulb. Candle power: 21. 1.44 amp draw. 12V DC. Optional Remote Power Port.

**1-12251** (Mfg# PD793WWV) \$25.01

**210 Series 12Volt Convenience Light**

Put in cabinets, closets, etc. Activates when door opens. Low profile design. High impact brown frame and clear protective lens.

Versatile mounting options. Bulb: #561

Candle Power: 12. Amps: 1

**Overall size:** 4 1/8" L x 3 1/2" W x 2" H

**1-14015** (Mfg# PD-210) \$8.79





## Security/Utility Light



12 Volt Surface Mounted light designed to flood light in all directions. Two wire construction with extra sturdy 0.060" powder coated steel base. Featuring a gasket between the lens and base, as well as a gasket for mounting. CSA approved. Uses bulb #1156. **Dimensions:** 8 3/4" Dia. X 2" Deep

**1-12713** (Mfg# 007-42) White \$25.46  
**1-12714** (Mfg# 89-257) Repl. Lens \$16.49



## Scare/Utility Light



12V surface mounted light designed to flood light in all directions. Features a 7" polycarbonate lens, two-wire construction and stainless steel base. 8 3/4" diameter.

**40-60-001** \$21.52



## Fan/Bunk Light Combo



High intensity reading light combined with a two-speed fan. Unique two directional mounting system will accept 3/4" or 1" tent support. Eight-foot coil cord that will plug into our 1/4" Porta-Lamp jack or plug it into the optional lighter adapter. Long life thermally protected motor. 12 VDC, 1.3 Amps Max. CSA Certified for the US and Canada. **Dimensions:** 10 1/8" x 5 1/2" x 4 1/4"

**1-12422** (Mfg#001-103) \$59.95



## Replacement Lens For Lighted Assist Bar



Polypropylene replacement lens for all OEM and aftermarket Bargman Lighted Assist Bars. Provides a diffused light that lights up the entrance area.

**74-32-030** \$2.63



## Porch/Compartment Light



This complete light includes lens and 1003 lamp. The chrome plated cast housing measures 2.5" X 4.5" at the base. NCTI listed.

**1-12701** (Mfg# P1327) Chrome \$24.95  
**1-12702** (Mfg# P1328) Repl. Lens \$7.47



## #78 Series Porch / Utility Light



Surface mount. Remote switch required. Two wire construction. CSA approved. Bagged.

**Dimensions:** 5 15/16" X 3 1/2" X 2"

### Light Without Switch

**34-78-515** Ash White Base, Clear Lens \$7.78

### Light With Switch

**34-78-517** Ash White Base, Clear Lens \$7.98

### Replacement Lenses

**34-78-021** #78 Repl. Lens Clear \$2.13

**34-78-022** #78 Repl. Lens Amber \$2.13



## Porch/Utility Lights #79 Series Replacement Lens



Replacement lens for 12V surface mounted lights. Clear or amber snap-in lens. Optically designed for maximum light diffusion. UL approved. Bagged.

**Dimensions:** 6 5/8" x 3 1/2" x 2 1/16"

### Replacement Lens

**34-79-021** Clear lens \$2.34

**34-79-022** Amber lens \$2.34

### Replacement Bulbs

**34-90-022** #922 Rep. Bulb 2pk. \$2.81



## Command Star Porch Light



Incandescent with switch. 12V. Uses #922 bulb. **Dimensions:** 6" X 4" X 2"

### Light with Amber Lens

**1-12720** (Mfg# 007-40SAC) \$12.19

### Replacement Lens

**Dimensions:** 3 3/4" X 3 7/8" X 1 1/2"

**1-12721** (Mfg#89-207C) Clear \$4.51

**1-12722** (Mfg#89-207A) Amber \$4.51



## Porch Light



Classic 12 Volt Incandescent light. Elegant, yet rugged design. Includes switch and amber lens. 1.0 Amps CSA approved. Made in the USA. Uses bulb #912. **Dimensions:** 5 7/8" X 3 3/8" X 2 3/16"

**Dimensions:** 5 7/8" X 3 3/8" X 2 3/16"

### Light with Amber Lens

**1-12715** (Mfg# 007-50SAC) \$14.50

### Replacement Lens

**Dimensions:** 4 13/16" x 2 1/4" x 1"

**1-12716** (Mfg#89-100A) Amber \$4.51

**1-12717** (Mfg#89-100C) Clear \$4.51



## Porch/Utility Lights #79 Series



12V surface mount. ABS base with clear or amber acrylic lens that are snap-in design. Two wire construction, supply and ground. CSA approved. Bulk. White. **Dimensions:** 6 1/4" x 3 1/2" x 2"

### Lights, no switch

**30-79-003** w/clear lens \$3.59

**30-79-004** w/amber lens \$3.86

### Lights W/ black rocker switch

**30-79-005** w/clear lens \$3.86

**30-79-006** w/amber lens \$4.52

### Replacement Lens

**30-79-023** Clear lens \$1.76

**30-79-024** Amber lens \$1.76

# Electrical & Lighting



## Medallion Style 80 Series RV Porch Lights



CSA Listed Product for Surface Wall Mounting. Housing with Removable Clear or Amber Acrylic Lens. Uses 1 #1141 12V Incandescent Light Bulb. 1 Year Limited Warranty. White. Bulk.

**Dimensions:** 5.5" H X 5.54" W X 2.28" D

### No Switch

30-80-001	W/Clear Lens	\$4.74
30-80-002	W/Amber Lens	\$4.74

### With Switch

30-80-003	W/Clear Lens	\$5.83
30-80-004	W/Amber Lens	\$5.83



## Interior Halogen Lights



Halogen light, 10 or 20 watt, Glass Cap with easy-grip edge. Glass halogen accent lights coordinate with any color scheme and provide intense lighting effects to create a dramatic scene. Our lights have a unique "easy-grip" edge design that makes changing the bulbs a snap. These flush ceiling mount lights are held securely in place by springs. CSA approved for US and Canada.

10 Watt 3.1" Dia. X 1.05" Deep, Bulb G4 10W  
20 Watt 4.5" Dia. X 1.5" Deep, Bulb G4 20W

1-12724 (Mfg# 001-53)	10 Watt	\$16.18
1-12723 (Mfg# 001-52)	20 Watt	\$18.45



## Model 339W Halogen Light



12VDC, .84 Amps, 10 Watt, ABS White plastic housing. Recess or surface mount with collar. **Dimensions:** 3.125" D X 1" H

1-13972 (Mfg# 339W)		\$17.75
---------------------	--	---------



## Interior Lights #76 Series



12V interior light. Double light is available with single or dual switch. Two-wire construction, supply and ground. Features a polypropylene base. CSA approved. Bagged.

**Single:** 7.28" X 4.33" X 1.78"

**Double:** 11.02" X 4.33" X 1.78"

34-76-123	Single w/switch	\$4.74
34-76-223	Double w/switch	\$6.80
34-76-243	Double w/dual switch	\$7.63
34-76-028	Repl. Lens	\$1.78

## Interior LED Pancake Light



Reduce battery power consumption up to 85%. OEM or Retro replacement. White housing, surface mount and easy switch, 2 wire. **Dimensions:** 7.50" X 4.25" X 1.75"

1-13128 (Mfg# 52499)	Single, White	\$40.74
1-13129 (Mfg# 52430)	Double, White	\$71.24
1-13130 (Mfg# 52431)	Repl. Lens	\$2.81



## Mega Star Light w/Switch



12 Volt Incandescent Light. High Intensity, surface mount, designed to maximize light output, enhance surrounding decor, and fully disperse light pattern. The most powerful available and the most reliable. White light with rocker switch. Unbreakable polycarbonate lens. CSA NRTL/C Certified. Made in USA. Replacement Bulb: #921 LED Upgrade kit available: K-800UPG.

**Single:** 7 1/8" X 4 1/4" X 1 7/8"

**Double:** 12" X 4 1/4" X 1 7/8"

**Lens:** 5 1/2" X 4" X 1 1/2"

1-12703 (Mfg# 001-801XP)	Sgl	\$12.95
1-12704 (Mfg# 001-802XP)	Dbl	\$24.07
1-12706 (Mfg# 89-241)	Repl. Lens	\$6.42



## Omega Interior Dome Light



Continuation of elegance and high performance wrapped in a package. Unbreakable polycarbonate lens. CSA Certified for the US and Canada. Patented Design. White Light with rocker switch. Replacement Bulb: 921

**Single Light:** 7 7/16" x 5 3/4" x 1 7/8"

**Double Light:** 11 3/16" x 5 3/4" x 1 7/8"

**Replacement lens:** 5" x 4 7/16" x 1 5/16"

1-12423 (Mfg# 001-901XPB)	Single	\$12.95
1-12424 (Mfg# 001-902XPB)	Double	\$24.07
1-12427 (Mfg# 89-255)	Repl. Lens	\$6.42



## Incandescent Lights



Polycarbonate snap-in lens with an ABS white plastic housing. Slide with bezel switch.

**Single light:** Voltage: 12 VDC. Amps: 1.44.  
**Dimensions:** 8.125" X 5.0" X 1.5"

**Double light:** Voltage: 12 VDC. Amps: 2.88.  
**Dimensions:** 11.125" X 5.0" X 1.5"


1-03531 (Mfg# 311)	Single	\$11.29
1-03532 (Mfg# 312)	Double	\$17.49

## Replacement Lens

1-03534 (Mfg# D311W)	Rpl. Lens White	\$3.89
1-03535 (Mfg# D-311)	Rpl. Lens Clear	\$3.89



## Fluorescent Bulbs



2 per Card

<b>5-54896</b>	(Mfg# LF4T5/CW) 6W, 6"	\$5.97
<b>5-54898</b>	(Mfg# LF6T5/CW) 6W, 9"	\$6.50
<b>5-54880</b>	(Mfg# LF8T5/CW) 8W, 12"	\$4.42
<b>5-54878</b>	(Mfg# LF15T8/CW) 15W, 18"	\$9.17

**SEE LED BULB  
SECTIONS FOR  
REPLACEMENT  
LED TUBES.**

## Thin-Lite® Fluorescent Tubes



2/Pk

### Cool White

<b>1-15567</b>	(Mfg# F8T5/CW/Twin) 12"	\$12.75
<b>1-15568</b>	(Mfg# F15T8/CW/Twin) 18"	\$11.45

### Warm White

<b>1-13976</b>	(Mfg# F8T5/WW/Twin) 12"	\$12.76
<b>1-13977</b>	(Mfg# F15T8/WW/Twin) 18"	\$11.45

## Thin-Lite® Fluorescent Tubes



Individual. Bulk.

<b>1-10345</b>	(Mfg# F8T5/CW) 12"	\$6.15
<b>1-10346</b>	(Mfg# F15T8/CW) 18"	\$5.35
<b>1-11063</b>	(Mfg# F13T5/CW) 21"	\$8.85



## Model 130 Fluorescent Light




Watts: 16. Lamps: Two F8T5/CW.  
Voltage: 12 VDC. Amps: 1.4. Lumens: 800  
**Dimensions:** 12" x 5.375" x 1.75"

**1-10080** (Mfg# 130) 12" \$49.95



## Model 134 Fluorescent Light



Watts: 30. Lamps: Two F15T8/CW.  
Voltage: 12 VDC. Amps: 2.2. Lumens: 1650.  
**Dimensions:** 18" x 5.375" x 1.75"

**1-10081** (Mfg# 134) 18" \$51.95



## Model 112 Fluorescent Light



Watts: 16. Lamps: Two F8T5/CW.  
Voltage: 12VDC. Amps: 1.4. Lumens: 800  
**Dimensions:** 12.25" x 5.5" x 1"

**1-10521** (Mfg# 112) \$55.95



## Model 115 Fluorescent Light Fixture



Watts: 15. Lamps: One F15T8/CW.  
Voltage: 12VDC. Amps: 1.3. Lumens: 825.  
**Dimensions:** 18" X 4" X 1.375"

**1-10519** (Mfg# 115) \$46.20



## Model 116 Fluorescent Light



Watts: 30. Lamps: Two F15T8/CW.  
Voltage: 12 VDC. Amps: 2.2. Lumens: 1650.  
**Dimensions:** 18" x 5.625" x 1.375"

**1-10522** (Mfg# 116) \$59.95



## Model 126 Fluorescent Light



Watts: 26. Lamps: Two F13T5/CW.  
Voltage: 12 VDC. Amps: 2. Lumens: 1700  
**Dimensions:** 21.312" x 5.5" x 1"

**1-10523** (Mfg# 126) \$72.95



## Model 612 Elegant Fluorescent Light Fixture



Surface Mount with white end caps and rocker switch. Watts: 16.  
Lamps: Two F8T5CW. Voltage: 12VDC.  
Amps: 1.4 Amps. Lumens: 800.  
**Dimensions:** 14.94" X 5.53" X 1.57"

**1-13975** (Mfg# 612) \$55.40



## Model 616 Elegant Fluorescent Light Fixture



Watts: 30. Lamps: Two F15T8CW.  
Voltage: 12VDC. Amps: 2.2. Lumens: 1650.  
**Dimensions:** 20.63" x 5.53" x 1.57"

**1-13969** (Mfg# 616) \$56.40

**Thin-Lite®****Model 622 Elegant Fluorescent Light Fixture**

Watts: 16. Lamps: Two F8T5CW.  
 Voltage: 12VDC. Amps: 1.4. Lumens: 800.  
**Dimensions:** 13.95" x 5.56" x 1.51"

**1-13970** (Mfg# 622) \$52.50

**Thin-Lite®****Model 626 Elegant Fluorescent Light Fixture**

Watts: 30. Lamps: Two F15T8CW.  
 Voltage: 12VDC. Amps: 2.2. Lumens: 1650.  
**Dimensions:** 19.67" x 5.56" x 1.51"

**1-13971** (Mfg# 626) \$57.35

**Thin-Lite®****Model 652 Elegant Fluorescent Light Fixture**

Surface Mount with white end caps and rocker switch. Watts: 16. Lamps: Two F8T5CW.  
 Voltage: 12VDC. Amps: 1.4. Lumens: 800.  
**Dimensions:** 16.84" X 7.30" X 1.56"

**1-13974** (Mfg# 652) \$59.90

**Thin-Lite®****Model 656 Elegant Fluorescent Light Fixture**

Surface Mount with white end caps and rocker switch. Watts: 30. Lamps: Two F15T8CW.  
 Voltage: 12VDC. Amps: 2.2. Lumens: 1650.  
**Dimensions:** 22.65" X 7.30" X 1.56"

**1-13973** (Mfg# 656) \$64.95

**Thin-Lite®****712XL Recessed Fluorescent Light Fixture**

Injection molded prismatic lens with an extruded anodized aluminum housing. Easy to install in ceilings and under cabinets.

Watts: 16. Lamps: Two F8T5/CW.  
 Voltage: 12 VDC. Amps: 1.4. Lumens: 800.  
**Dimensions:** 14.75" X 6.625" X 2.00"  
 Mounting Opening: 14.25" x 5.313" x 1.25"

**1-13966** (Mfg# 712XL) \$69.85

**Thin-Lite®****Model 716XL Recessed Fluorescent Light Fixture**

Injection molded prismatic lens with an extruded anodized aluminum housing.  
 Easy to install in ceilings and under cabinets.  
 Watts: 30. Lamps: Two F15T8/CW.  
 Voltage: 12 VDC. Amps: 2.2. Lumens: 1650.  
**Dimensions:** 20.625" X 6.625" X 2.00"  
 Mounting Opening: 20.125" x 5.313" x 1.25"

**1-13967** (Mfg# 716XL) \$75.95

**Thin-Lite®****Model 736 Recessed Fluorescent Light Fixture**

Extruded acrylic lens with an extruded anodized aluminum housing. Endcap is injection molded. Easy to install in ceilings and under cabinets.  
 Watts: 30.  
 Lamps: Two F15T8/CW. Voltage: 12 VDC.  
 Amps: 2.2. Lumens: 1650.  
**Dimensions:** 20.531" X 6.625" X 1.75"  
**Mounting Opening:** 19.25" X 5.25" X 1.00"

**1-13968** (Mfg# 736) \$72.95

**Star Lights****LED Fluorescent Tube**

Easy 2 wire installation - no need to cut out or damage the ballast of your current fixture. Built in fresnel lens spreads the light evenly, up to a 160 degree angle. No mercury, Lead, or any other harmful chemicals. Produces no EMI- will not interfere with radio/analog signals.

**Replacement bulb for a 12" fixture:**

Lasts 12 times longer than the standard fluorescent tube. 350% more energy efficient than fluorescent counterpart (draws 340 milliamps), and gives off a brighter 400LMS output, as well as a better light quality at 4500 kelvin. Dimmable LED bulb, which operates cooler and produces no noisy humming sound.

**1-16225** (Mfg# Rev T5-12) 12" \$35.99

**Replacement bulb for a 18" fixture:**

State of the art Pulse Width Modulator (PWM) guarantees the same light output regardless of voltage fluctuations (11-16 volts). 200% more energy efficient than fluorescent counterpart (draws 623 milliamps), and gives off a brighter 810LMS output, as well as a better light quality at 4500 kelvin. Patented smart ratchet design allows you to direct the light to the most optimal locations. Also operates cooler and produces no noisy humming sound. No mercury, lead, or any other harmful chemicals. FCC approved.

**1-16226** (Mfg# Rev T8-18) 18" \$45.99

**Thin-Lite®****Replacement Ballasts**

**1-11278** (Mfg# IB-112) \$33.95  
 Fits 112, 192, 612, 622 & 652

**1-11279** (Mfg# IB-116) \$33.95  
 Fits 116, 134, 194, 616, 626 & 656

**1-11280** (Mfg# IB-716) \$33.95  
 Fits 716, 736, 746, & 766



## The Smart Light



12V operation. Easy to install, uses same hole pattern as most standard lights. Reverse polarity protected if wired wrong, it will not damage the unit. Simply switch the connecting wires, re-test and the fixture will work properly. Daylight sensor installed - will not come on in daylight while in motion detection mode. Senses coach battery function - LED blinks battery condition. If your house battery voltage drops to 11.5V, then The Smart Light® will cease to function as motion light in order to save battery life.

<b>1-16200</b>	(Mfg# SL-1000) White	\$59.99
<b>1-16201</b>	(Mfg# SL-1000 B) Black	\$59.99
<b>1-16203</b>	(Mfg# AL-1000) Amber Lens	\$9.99
<b>1-16204</b>	(Mfg# RL-1000) Clear Lens	\$9.99



## Smart Light 2000



Replacement

Replacement outside round light with battery and motion sensor capabilities. Fixture can be a regular porch light or a motion sensor light with a flick of the switch. It can also differentiate between small animals and people to reduce false detection at night. Photo sensor allows the unit to be fully automated, turning off during the day automatically, and on at night when proper motion is detected. Battery sensor triggers a red LED on the fixture when battery levels reach 11.5 volts for 40 continuous seconds.

<b>1-16209</b>	(Mfg# SL-2000) White	\$69.99
<b>1-16214</b>	(Mfg# SL-2000B) Black	\$69.99
<b>1-16223</b>	(Mfg# RLS-2000B) Replacement Light	\$28.99
<b>1-16213</b>	(Mfg# RL-2000) Replacement Lens	\$9.99



## Revolution LED Bulb



Lasts 100 times longer than a standard bulb (60,000 hour life expectancy). Energy Efficient: Uses 1/11th the power of conventional bulbs. Replaces single contact bayonet. Fits most RV fixtures. Significantly brighter than conventional incandescent bulbs. Operates much cooler- won't melt lenses. Swivel style housing allows you to direct light where needed. Replaces: 1003, 1073, 1141, 1156, 3497, 5007, 5008, 7506, 1093, 1129, 1159, 1295, 1459, 1619, 1651, 1680 and 7527. May be used for exterior porch, interior lighting and more. 1 year manufacturer warranty.

<b>1-16205</b>	(Mfg# 1141-150)	150 Lumens	\$19.99
<b>1-16206</b>	(Mfg# 1141-200)	200 Lumens	\$24.99
<b>1-16216</b>	(Mfg# 1141-300)	300 Lumens	\$29.99

<b>1-16239</b>	(Mfg# 1141-250NL)	250 Lumens, Natural Light	\$29.99
----------------	-------------------	---------------------------	---------

### Black

<b>1-16237</b>	(Mfg# 1141-150B)	150 Lumens	\$19.99
<b>1-16236</b>	(Mfg# 1141-200B)	200 Lumens	\$24.99
<b>1-16238</b>	(Mfg# 1141-300B)	300 Lumens	\$29.99



## Revolution 1141 LED Bulb



Water resistant LED bulb which rotates in its base- allowing it to be directed to maximize light. This bulb is the brightest LED on the market, at 6500K- a bright white light. Suitable for interior and exterior use. Can replace most single contact 12 volt light bulbs.

<b>1-16256</b>	(Mfg# 1141-350)	\$39.99
<b>1-16257</b>	(Mfg# 1141-400)	\$39.99



## Wedge LED Bulbs



Lasts 75 times longer than a standard bulb (60,000 hour life expectancy). Energy Efficient: Uses 1/8th the power of conventional bulbs. Replaces the following bulbs: 921, 912, 516, 579, 917, 918, 920, 922, 923, 906, 904, 916. Fits most RV fixtures. Significantly brighter than conventional incandescent bulbs. Operates much cooler- won't melt lenses. 1 year manufacturer warranty.

**1-16215** (Mfg# 921-160) 160 Lumens \$24.99

**1-16224** (Mfg# 921-250) 250 Lumens \$29.99



## G4 LED Bulb



160 Lumens

205 Lumens

Interior LED replacement bulb used in bi-pin halogen fixtures. Lasts 60 times longer than the G4 it replaces. Patent pending state of the art copper heat dissipation apparatus helps the unit stay cool, thus increasing life expectancy and lumen output. Produces a warm natural light - 4000 kelvin. FCC approved- will not interfere with radio/analog signals.

455% more energy efficient (draws 183 millamps). Patent pending design allows the bulb to be easily placed inside any side pin fixture, whether at a 10 degree angle, or straight in.

**1-16229** (Mfg# Rev G4-160SP)  
Side Pin, 160 Lumens \$19.99

**1-16231** (Mfg# Rev G4-160BP)  
Back Pin, 160 Lumens \$19.99

339% more energy efficient (draws 246 millamps).

**1-16230** (Mfg# Rev G4-205SP)  
Side Pin, 205 Lumens \$24.99

**1-16232** (Mfg# Rev G4-205BP)  
Back Pin, 205 Lumens \$24.99

# Electrical & Lighting



## LED Tail Light Bulb



**Replaces** the common tail and marker lights found on most newer vehicles today. Lasts 50 times longer than the bulb it replaces, and is 750% more energy efficient. Replaces 3156, 3156A, and 3456 Bulbs.

**1-16252** (Mfg# 3156-280) \$29.99



## LED Tail Light Bulb



Replaces the common tail, indicator, and marker lights found on most newer vehicles today. Lasts 50 times longer than the bulb it replaces, and is 750% more energy efficient. Replaces 3047, 3057, 3057A, 3155, 3157, 3157A, 3357, 3357A, 3457A, 3454NA, 3757A, 4057, 4157, and 4157NA bulbs.

**1-16253** (Mfg# 3157-280) \$29.99



## Amberizer Bulbs



Replacements for the standard 1003 and 1156 bulbs, for all outdoor lights. Reduces UV and blue light, thus reducing the bugs around you!

**1-16202** (Mfg# AB-10) 2-Pk \$3.99



## Revolution Load Resistors



LED bulbs may cause some newer vehicles to indicate a bulb is burnt out (because of their low power consumption). Some cars indicate this by increasing the flash rate of the turn signals, some turn on a bad bulb indicator. This can be remedied with our Load Resistors wired across the turn signal bulbs to simulate a filament bulb load.

**1-16221** (Mfg# Rev LR) 2/Pk. \$19.99



## Revolution 1036 LED Festoon Bulbs



Lasts 150 times longer than a standard bulb (60,000 hour life expectancy). Energy Efficient- can run 14 'Revolution Bulbs' for every 1 standard 1036 bulb. Draws 42 millamps. 1 year manufacturer warranty. May be used for dome, refrigerator, side marker lights, and more. Replaces 3423 and 3425

**1-16219** (Mfg# 1036-25) 2/Pk. \$14.99



## Revolution 1156-170 LED Bulbs



This bulb is as bright as many incandescent bulbs, but at less than half the cost of comparable LED products. The Revolution 1156 is more than 11x more efficient than the bulb it replaces. After years of research, we have finally solved the LED puzzle, bringing consumers a bright, energy efficient, long lasting LED bulb at a reasonable cost. Can be used as a brake, marker, back up, parking light, and more. Replaces 1003, 1073, 1141, 1156, 3497, 5007, 5008, 7506, 1093, 1129, 1159, 1295, 1459, 1619, 1651, 1680, & 7527 bulbs.

**1-16217** (Mfg# 1156-170) 2/PK \$24.99



## Revolution 194-70 LED Bulbs



This bulb is as bright as many incandescent bulbs, but at less than half the cost of comparable LED products. It is more than 12x more efficient than the bulb it replaces. After years of research, we have finally solved the LED puzzle, bringing consumers a bright, energy efficient, long lasting LED bulb at a reasonable cost. Can be used as a side marker light, instrument cluster light, dome light, license plate, and more. Replaces 194, 921, 912, 516, 579, 917, 918, 920, 922, 923, 906, 904, 916

**1-16218** (Mfg# 194-170) 2/Pk. \$19.99



## Revolution 1157-170 LED Bulbs



Automotive LED taillight replacement bulbs. Last 100 times longer than the bulb they replace (60,000 hour life expectancy). Uses 1/11th the power as the incandescent (draws 216 MA). Produces very little heat- won't melt lenses or fixtures. May be used for brake, backup, taillights, side marker, parking lights, and more.

Replaces: 1016, 1034, 1130, 1142, 1154, 1157, 1493, 2057, 2357, 2397, 3496, 7225 and 7528

**1-16220** (Mfg# 1157-170) 2/Pk \$24.99



## Revolution 1076 LED Bulb



Interior LED replacement bulb used in chandeliers, sconces, and more. Lasts 300 times longer than the 1076 it replaces, and is 600% more energy efficient (draws 228 millamps). Produces a warm natural light similar to an incandescent glow- 3200 kelvin. Produces no EMI- will not interfere with radio/analog signals.

**1-16227** (Mfg# Rev 1076-205) 205 LMS \$24.99

**1-16228** (Mfg# Rev 1076-255) 255 LMS \$29.99



## LED 1141 Omnidirectional Light Bulb



A very bright omni-directional bulb, perfect for sconces and chandelier lighting fixtures. Produces 280LMS, and a natural light at 3100k. It lasts 100 times longer than the incandescent it replaces, and is 450% more energy efficient. Replaces 1003, 1073, 1093, 1129, 1141, 1156, 1159, 1295, 1459, 1619, 1651, 1680, 3497, 5007, 5008, 7506, and 7527 bulbs.

**1-16255** (Mfg# 1141-280) \$19.99

# StarLights, Inc.

## The Leader in LED Technology



**Smart Light 1000™**  
Also available in black



**Smart Light 2000™**  
Also available in black

**Brilliant Light Fixture with LED Array:**  
Light fixture features advanced LED array for greater light output, longer life and less power consumption than conventional incandescent bulbs. Additional modules may be purchased to enhance your fixtures capabilities (dimmer dial, motion light, day/night sensor, etc)



**BL 3002 Single Light LED Fixture**  
Also available in Double Light LED fixture



**BL-250™**  
**Replacement LED**  
Also available in 300 lms



**Revolution 1156-170 LED**  
Also available in 1157



**Revolution 3156-280 LED**  
Also available in 3157



**Revolution 194-70 LED**



**Revolution 921-220 LED**



**Revolution 1383-220 LED**



**Revolution G4-160 BP (Back Pin)**  
Also available in side pin & 205 lms



**Revolution 1141-150 LED**  
Also available in 200 & 300 lms  
White or black housing



**Revolution 1141-350 LED**  
Also available in 400 lms



**Revolution 921-160 LED**  
Also available in 250 lms



**Revolution 2099-270F LED**



**Revolution T5-12" LED**  
Also available in T8-18"



P.O. Box 80246, Goleta, CA 93118 | T: 800.883.5444 | F: 805.685.3754 | E: contact@starlightsinc.com | www.starlightsinc.com

# Electrical & Lighting



## Brilliant Series Incandescent Interior Dome Light



Interior 12 volt dome light. This basic version has expandable modular slots. Can upgrade the light with the following modules: motion activation; night light; dimmer dial; day/night sensor; 250 or 300 LMS LED bulb. The single fixture comes with one incandescent 921 bulb and the double fixture comes with two incandescent 921 bulbs. **Accessories sold separately.**

<b>1-16240</b>	(Mfg# BL-3000) Single	\$14.99
<b>1-16241</b>	(Mfg# BL-3001) Double	\$19.99



## Brilliant Series LED Interior Dome Light

### Basic Models



### Upgraded Models(Pictured w/Accessories)



Interior 12 volt dome light. This basic version has expandable modular slots. Can upgrade the light with the following modules: motion activation; night light; dimmer dial; day/night sensor; 250 or 300 LMS LED bulb. Single fixture comes with one 150 LMS LED bulb and double comes with two 150 LMS LED bulbs. **Accessories sold separately.**

<b>1-16242</b>	(Mfg# BL-3002) Single	\$24.99
<b>1-16243</b>	(Mfg# BL-3003) Double	\$39.99



## LED 2099 Vanity Light Bulb



The Revolution 2099-270F is the brightest vanity bulb on the market, producing 270 LMS at a soft natural light of 3100k. It lasts 200 times longer than the bulb it replaces, and is 432% more energy efficient.

<b>1-16260</b>	(Mfg# 2099-270F)	\$24.99
----------------	------------------	---------



## Brilliant Light Accessories

These modules can be placed into any of the Brilliant Light fixture by simply removing the plastic cover located on the fixture and inserting this module into the expansion slot. All must be accompanied by the BL-3007 PCB module.

### Dimmer Dial Module

Once placed, the user can dim their lighting fixture. Dial allows an infinite dimmable range.



### LED Night Light Module

Once placed, turn on/off this LED night light to allow passengers enough light to move about in the middle of the night without turning on the fixture and potentially waking others.



### Motion Detection Module

Once placed, leave the light switch in active mode. Light will turn on when motion is detected, and off 60 seconds after the last motion is detected.



### PCB Adapter Module

This module is the brains behind the Brilliant Light fixture. With one PCB, a customer can install up to four modules in each light.



### 1-16247 (Mfg# BL-3007)

\$9.99

### Day/Night Sensor

This module detects when it is day or night. When the ambient light reaches a predetermined level, the light will shut itself off. When it becomes dark enough, the light will turn itself back on. This module is operated by an on/off switch so that it can be activated or deactivated at the source.



### 1-16248 (Mfg# BL-3008)

\$9.99

### Replacement Lens



### 1-16249 (Mfg# BL-3009) Repl. Lens

\$6.99

### LED Bulb



### 1-16250 (Mfg# BL-250) 250 Lumens

\$24.99

### 1-16251 (Mfg# BL-300) 300 Lumens

\$29.99



## LED 1383 Light Bulb



The Revolution 1383-220 is the brightest single contact LED flood light replacement on the market, at 220LMS, and a natural light at 3100k. It lasts 200 times longer than the incandescent it replaces, and is 535% more energy efficient.

<b>1-16258</b>	(Mfg# 1383-220)	\$24.99
----------------	-----------------	---------



## LED 921 Omnidirectional Light Bulb



The Revolution 921-280 is a very bright omni-directional bulb, perfect for sconces and chandelier lighting fixtures. Produces 280LMS, and a natural light at 3100k. It lasts 100 times longer than the incandescent it replaces, and is 450% more energy efficient. Replaces 901, 904, 906, 908, 909, 912, 914-918, 920-923, 926-928, and 939 bulbs.

<b>1-16254</b>	(Mfg# 921-280)	\$19.99
----------------	----------------	---------



## LED 921 Spot Bulb 220



The Revolution 921-220 is an extremely bright wedge based flood light. It produces an astonishing 220LMS at a soft natural light of 3100k. It lasts 100 times longer than the bulb it replaces, and is 482% more energy efficient.

<b>1-16259</b>	(Mfg# 921-220)	\$24.99
----------------	----------------	---------

## NEXT WAVE LED

### G4 Flat Round Disc (Pin Style)



12v 1.3w 100 lumens  
Replaces G4 style bulb

<b>1-16302</b>	Cool White	\$14.99
<b>1-16303</b>	Warm White	\$14.99
<b>1-16304</b>	Cool White (6) Pack Bulk	\$89.89
<b>1-16305</b>	Warm White (6) Pack Bulk	\$89.89

## NEXT WAVE LED

### 1141/1156 Round Replacement (Round Base)



12v 3.2w 200 lumens  
Replaces 1003, 1141, 1156 or equivalent

<b>1-16306</b>	Cool White	\$19.99
<b>1-16307</b>	Warm White	\$19.99
<b>1-16308</b>	Cool White (10) Pack Bulk	\$199.89
<b>1-16309</b>	Warm White (10) Pack Bulk	\$199.89

## NEXT WAVE LED

### 1141/1156 Flat Light Replacement (RoundBase)



12v 3.5w 200 lumens  
Replaces 1003, 1141, 1156, 921 or equiv.

<b>1-16310</b>	Cool White	\$19.99
<b>1-16311</b>	Warm White	\$19.99
<b>1-16312</b>	Cool White (5) Pack Bulk	\$99.89
<b>1-16313</b>	Warm White (5) Pack Bulk	\$99.89

## NEXT WAVE LED

### 921 Cobb Light Replacement (Wedge Base)



12v 3.2w 200 lumens  
Replaces 921 or equivalent

<b>1-16314</b>	Cool White	\$19.99
<b>1-16315</b>	Warm White	\$19.99

## NEXT WAVE LED

1141/1156
Spot Light
Replacement (Round Base)



12v 3.5w 200 lumens  
Replaces 1003, 1141, 1156 or equivalent

<b>1-16316</b>	Cool White	\$19.99
<b>1-16317</b>	Warm White	\$19.99

## NEXT WAVE LED

1141/1156
Mini Cobb
Replacement (Round Base)



12v 1.6w 100 lumens  
Replaces 1003, 1141, 1156 or equivalent

<b>1-16320</b>	Cool White - 2 PACK	\$23.99
----------------	---------------------	---------

## NEXT WAVE LED

G4
Cobb
Replacement (Pin Style)



12v 1.6w 100 lumens  
Replaces G4 style bulb

<b>1-16321</b>	Cool White - 2 PACK	\$16.99
----------------	---------------------	---------

## NEXT WAVE LED

### Ribbon Lighting



5 Meter Roll (~16.4 Feet)

8mm wide

Available in Uncoated (for Indoor use) or Coated (for Outdoor use)

Comes in Cool White, Warm White and colors (Red, Green, Blue)

3M adhesive for easy mounting

18 LED Lights per 12"

Lights are spaced 3/4" apart

<b>1-16318</b>	Uncoated - Cool White	\$109.99
<b>1-16322</b>	Uncoated - Warm White	\$109.99
<b>1-16324</b>	UnCoated - Blue	\$109.99
<b>1-16325</b>	UnCoated - Green	\$109.99
<b>1-16326</b>	UnCoated - Red	\$109.99

<b>1-16319</b>	Coated - Cool White	\$129.99
<b>1-16327</b>	Coated - Warm White	\$129.99
<b>1-16329</b>	Coated - Blue	\$129.99
<b>1-16330</b>	Coated - Green	\$129.99
<b>1-16331</b>	Coated - Red	\$129.99

## NEXT WAVE LED

Ribbon
Light Connector



<b>1-16336</b>		\$2.99
----------------	--	--------

## NEXT WAVE LED

T5
Replacement Bulb



12v 3.6w 250 lumens  
Replaces T5 Fluorescent bulb

<b>1-16332</b>	Cool White	\$29.99
<b>1-16333</b>	Warm White	\$29.99

## NEXT WAVE LED

T8
Replacement Bulb



12v 5.4w 400 lumens  
Replaces T8 Fluorescent bulb

<b>1-16334</b>	Cool White	\$39.99
<b>1-16335</b>	Warm White	\$39.99

# Electrical & Lighting

**PETERSON**

### 102 Surface Mount Light



- Surface-mount light functions as clearance and side marker.
- Durable base and acrylic lens provides high quality at economical price.
- Grounds through mounting screw with single lead wire.

#### Viz Pack:

**1-16700** (Mfg# V102A) Amber \$5.95

**1-16701** (Mfg# V102R) Red \$5.95

#### Replacemnet Lens, Poly Pack:

**1-16702** (Mfg# 102-15A) Amber \$2.90

**1-16703** (Mfg# 102-15R) Red \$2.90

**PETERSON**

### 108 Oblong Clearance Light



- Acrylic lens features built-in reflector and precision optics for brilliant signal; no separate reflector needed.
- Includes durable, molded base with single-bulb socket and single lead wire; grounds through mounting screw.

#### Viz Pack:

**1-16708** (Mfg# V108WA) Amber \$6.48

**1-16709** (Mfg# V108WR) Red \$6.48

#### Replacement Lens, Viz Pack:

**1-16711** (Mfg# V108-15A) Amber 2/Pk \$4.85

**1-16710** (Mfg# V108-15R) Red 2/Pk \$4.85

#### Replacement Lens, Poly Pack:

**1-16715** (Mfg# 108-15A) Amber \$2.45

**1-16716** (Mfg# 108-15R) Red \$2.45

**PETERSON**

### 128 Oblong Clearance Light



- Clearance or side marker light with built-in reflex eliminates need for a separate reflector.
- Mounts on 3" centers.
- Features twist-in socket assembly with both lead and ground wires for mounting to all surfaces.

#### Viz Pack:

**1-16713** (Mfg# V128A) Amber \$7.20

**1-16714** (Mfg# V128R) Red \$7.20

#### Replacement Lens, Viz Pack:

**1-16711** (Mfg# V108-15A) Amber 2/Pk \$4.85

**1-16710** (Mfg# V108-15R) Red 2/Pk \$4.85


#### Replacement Lens, Poly Pack:

**1-16715** (Mfg# 108-15A) Amber \$2.45

**1-16716** (Mfg# 108-15R) Red \$2.45

**PETERSON**

### 132 Rectangular Clearance/Marker Light



- Features impact-resistant, molded housing that resists rust and corrosion; includes Lexide mounting gasket, single lead wire.
- Grounds through mounting screw.
- Brilliant, durable, copper-nickle, chrome-plated finish for custom appearance.
- Viz Pack

**1-16773** (Mfg# V122XA) Amber \$15.40

**1-16774** (Mfg# V122XR) Red \$15.40


- Rectangular, one-bulb clearance or side marker light with built-in reflex; eliminates need for separate reflector.
- Surface mounts on 3-3/8" centers with mounting gasket included.
- Twist-in socket assembly contains both lead wire and ground wire for mounting on all surfaces.
- Viz pack

**1-16717** (Mfg# V132A) Amber \$6.75

**1-16718** (Mfg# V132A) Red \$6.75

## **PETERSON**

### 135 Oblong Clearance & Side Marker Light



- Two bulb (135) and one bulb (2506) versions.
- When properly mounted, 135 may be used as combination side marker and clearance light.
- Acrylic lens snaps onto housing.
- Surface mounts on 3" centers.
- Single wire connection, grounds through mounting hardware.
- 15,000-hour long-life bulb.

**Viz Pack:**

<b>1-16719</b> (Mfg# V135A) Amber 2 Bulb	\$8.10
<b>1-16720</b> (Mfg# V135R) Red 2 Bulb	\$8.10
<b>1-16721</b> (Mfg# V2506A) Amber 1 Bulb	\$6.60
<b>1-16722</b> (Mfg# V2506R) Red 1 Bulb	\$6.60

**Replacement Lens Viz Pack:**



<b>1-16723</b> (Mfg# V134-15A) Amber 2/Pk	\$5.05
<b>1-16724</b> (Mfg# V134-15R) Red 2/Pk	\$5.05

**Replacement Lens Poly Pack:**

<b>1-16725</b> (Mfg# 134-15A) Amber	\$2.80
<b>1-16726</b> (Mfg# 134-15R) Red	\$2.80

## **PETERSON**

### 2548 Clearance/Marker Light




- Rectangular clearance and side marker light with Reflex.
- Lens and base welded to form single sealed unit.
- .175"-thick closed cell cushion for mount.
- Twist-out bulb socket for easy bulb replacement. • Viz Pack

**1-16739** (Mfg# V2548A) Amber \$6.90  
**1-16740** (Mfg# V2548R) Red \$6.90

## **PETERSON**

### 2546 Clearance/Marker Light



- Rectangular clearance and side marker light.
- Plastic base with snap-on lens.
- Surface mount.
- Two-wire electrical connection.
- Viz Pack

**1-16731** (Mfg# V2546A) Amber \$8.10  
**1-16732** (Mfg# V2546R) Red \$8.10


**Replacement Lens:**

<b>1-16733</b> (Mfg# V2546-15A) Amber	\$3.70
<b>1-16734</b> (Mfg# V2546-15R) Red	\$3.70



## **PETERSON**

### 2549 Clearance/Marker Light



- Rectangular clearance and side marker light with Reflex.
- Snap-off lens and twist-out bulb socket provide easy bulb access from outside vehicle or from behind mounting panel.
- Viz Pack


**1-16741** (Mfg# V2549A) Amber \$5.15  
**1-16742** (Mfg# V2549R) Red \$5.15

**Replacement Lens:**

<b>1-16743</b> (Mfg# V2549-15A) Amber	\$2.35
<b>1-16744</b> (Mfg# V2549-15R) Red	\$2.35

## **PETERSON**

### 138 Double Bulls-Eye Clearance Light



- Popular, two-bulb lamp that functions as clearance or side marker light, and may be used as combination clearance and side marker when properly mounted.
- Acrylic lens snaps onto housing.
- Surface mounts on 3" centers and grounds through mounting hardware; single wire for electrical connection.
- Features two 15,000-hour long-life bulbs.
- Viz Pack


**1-16727** (Mfg# V138A) Amber \$8.10  
**1-16728** (Mfg# V138R) Red \$8.10

**Replacement Lens:**

<b>1-16729</b> (Mfg# V138-15A) Amber 2/Pk	\$4.30
<b>1-16730</b> (Mfg# V138-15R) Red 2/Pk	\$4.30

## **PETERSON**

### 2547 Clearance/Marker Light



- Rectangular clearance and side marker light with Reflex.
- Plastic base with snap-on lens.
- Surface mount.
- Two-wire electrical connection.
- Viz Pack

**1-16735** (Mfg# V2547A) Amber \$8.10  
**1-16736** (Mfg# V2547R) Red \$8.10

**Replacement Lens:**

<b>1-16737</b> (Mfg# V2547-15A) Amber	\$3.70
<b>1-16738</b> (Mfg# V2547-15R) Red	\$3.70

# Electrical & Lighting



## 106 Chrome Guard



- Sturdy diecast guard provides added protection for oblong lights.
- Chrome plated for beauty and durability.
- Fits most PM oblong lights as well as competitive models.

**1-16770** (Mfg# V106-09) \$13.85



## Classic 12V Clearance Light



Uses #194 bulb. SAE Approved.  
**Dimensions:** 4" X 2" X 1 13/16"

### Lights

**1-12425** (Mfg# 003-53P) Amber \$4.71  
**1-12428** (Mfg# 003-54P) Red \$4.71

### Replacement Lens

**1-12426** (Mfg# 89-121A) Amber \$2.80  
**1-12429** (Mfg# 89-121R) Red \$2.80



## Reflectors



Acrylic reflector, hermetically sealed, with an adhesive back for instant mounting. 2/Pk.

**74-38-010** 3 3/16" Red \$2.78  
**74-38-020** 3 3/16" Amber \$2.78



Hermetically sealed, with two mounting holes. Adhesive back. **Dimensions:** 4 3/8" X 1 7/8"

**74-78-010** Oval Red, 2/Bg \$2.78  
**74-78-020** Oval Amber, 2/Bg \$2.78



Hermetically sealed, with an adhesive fiber back for instant mounting. **Dimensions:** 3 1/4" X 1 1/2"

**74-71-180** Rectangular, Red, 2/Bg \$2.44  
**74-71-181** Rectangular, Amber, 2/Bg \$2.44



## Rectangular with Rounded Corners 12 Volt Clearance



Mounting screws are concealed beneath cover. Waterproof socket. Polar White. SAE Approved.

**Dimensions:** 3 7/8" x 1 7/8" x 1 3/4"

### Lights

**1-12430** (Mfg# 003-58) Red \$4.71  
**1-12432** (Mfg# 003-59) Amber \$4.71

### Replacement Lens

**1-12431** (Mfg# 89-237R) Red \$2.80  
**1-12433** (Mfg# 89-237A) Amber \$2.80



## #100 Series Clearance/Side Marker Light



Rugged ABS base and an acrylic snap-on lens. This unit is ready for surface mounting with quick connect wiring installation for supply wire and is self-grounding.

**Dimensions:** 2 3/8" diameter X 1".

<b>34-50-101</b>	Red	\$10.60
<b>34-50-102</b>	Amber	\$10.60
<b>34-50-111</b>	Repl. Lens, Red	\$1.54
<b>34-50-112</b>	Repl. Lens, Amber	\$1.47



## #400 Series Clearance/Side Marker Light



Has an ABS base with an acrylic snap-on lens and built-in drain hole. This unit is ready for surface mounting with quick-connect wiring installation for supply wire and is self-grounding. **Dimensions:** 4" X 2" X 1"

<b>34-40-001</b>	Red	\$4.44
<b>34-40-002</b>	Amber	\$4.44
<b>34-40-011</b>	Repl. Lens, Red	\$2.27
<b>34-40-012</b>	Repl. Lens, Amber	\$2.27



## #478 Series Clearance/Side Marker Light w/Reflex Lens



ABS base with an acrylic snap-on reflex lens and built-in drain hole. Ready for surface mounting with quick-connect wiring installation for supply wire and is self-grounding. **Dimensions:** 4" X 2" X 1".

<b>34-47-801</b>	Red	\$5.09
<b>34-47-802</b>	Amber	\$5.09
<b>34-47-811</b>	Repl. Lens, Red	\$2.09
<b>34-47-812</b>	Repl. Lens, Amber	\$2.09

## Bargman.

### #58 Series Clearance/Side Marker Light



ABS base and acrylic snap-on lens. Molded socket. Two wires to eliminate surface ground. Molded grommet extends through the skin to protect the wiring.

**Dimensions:** 4" X 2" X 1 1/32" w/5/8" depth

<b>34-58-001</b>	Red	\$2.84
<b>34-58-002</b>	Amber	\$2.97
<b>34-58-010</b>	Repl. Lens, Red	\$1.43
<b>34-58-012</b>	Repl. Lens, Amber	\$1.71

## Bargman.

### LED Clearance/Side Marker #58 Series Lights



LED oblong clearance/side marker light with snap lock base mount. Bagged, With pigtail.

**Dimensions:** 4" x 2" x 1"

<b>47-58-031</b>	Red Light	\$13.30
<b>47-58-032</b>	Amber Light	\$13.30

## Bargman.

### #59 Series Clearance/Side Marker Light w/Reflex Lens



Rugged ABS base and acrylic snap-on reflex lens. Molded socket protects bulb from road shock and has two wires to eliminate surface ground. The molded grommet extends through the skin to protect the wiring.

**Dimensions:** 4" X 2" X 1 1/32" 5/8" depth

<b>34-59-001</b>	Red	\$3.59
<b>34-59-002</b>	Amber	\$3.59
<b>34-59-010</b>	Repl. Lens, Red	\$1.94
<b>34-59-012</b>	Repl. Lens, Amber	\$1.94

## Bargman.

### LED Clearance/Side Marker #59 Series w/Reflex Lens



Rugged ABS base with LED light engine assembled directly into reflectorized acrylic lens. LED light engine consists of 2 LED lights that are mounted into a circuit board that is then potted and sealed to protect against water and other elements. Complete lights come with white base and pigtail. Bagged.

**Dimensions:** 4" x 2" x 11/32" w/5/8" depth.

<b>47-59-401</b>	Red Light	\$11.87
<b>47-59-402</b>	Amber Light	\$11.87

## Bargman.

### #99 Series Clearance/Side Marker Light w/Reflex Lens



Acrylic snap-on reflex lens. Ready for mounting on a flat surface with quick connect wiring installation for supply and ground wires.

**Dimensions:** 4 1/16" X 1 3/8" X 1".

<b>34-99-001</b>	Red	\$3.02
<b>34-99-002</b>	Amber	\$3.02
<b>34-99-010</b>	Repl. Lens, Red	\$1.50
<b>34-99-012</b>	Repl. Lens, Amber	\$1.50

## Custer Products Limited

### 17" Identification Light Bar



• Mounts on 16" centers • 2.5" lights

<b>1-16664</b> (Mfg# CPL26R-3BAR) LED	\$18.49
<b>1-16650</b> (Mfg# G26R-3BAR) Incandescent	\$10.29

## R Designer

### Clearance Light



Fleetwood Style. Commonly used on Fleetwood and many other RV Manufacturers. 1/Pk.

<b>7-1152</b> (Mfg# E395) Red	\$4.99
<b>7-1153</b> (Mfg# E397) Amber	\$4.99

## R Designer

### Clearance Light



Winnebago Style. Used on late model Winnebago motor homes. 1/Pk.

<b>7-1148</b> (Mfg# E385) Red	\$5.49
<b>7-1149</b> (Mfg# E387) Amber	\$5.49

## Bargman.

### Waterproof LED Clearance/Side Marker #99 Series Lights



Waterproof mini LED clearance/side marker light with single wire. Self-grounding stud mounting with 1/4" required hole. Bagged.

**Dimensions:** 2 1/8" x 1 1/8" x 11/16"

<b>47-99-401</b>	Red	\$12.88
<b>47-99-402</b>	Amber	\$12.88

# Electrical & Lighting



## 4" x 2" Oblong Marker Light

Pre-wired for easy installation.



<b>1-16663</b>	(Mfg# CPL42R-P) Red	\$8.97
<b>1-16648</b>	(Mfg# G42A-P) LED, Amber	\$3.20



## 4" x 2" Sealed Side Marker Lights



- 3" mount centers • Built-in 2-wire pigtailed

<b>1-16643</b>	(Mfg# G120A-P) Amber	\$5.64
<b>1-16644</b>	(Mfg# G120R-P) Red	\$5.64
Chrome lens guard For 120 Series		
<b>1-16669</b>	(Mfg# G120B-C-P)	\$3.85



## Red / Amber Sealed Marker Lights



- 3.75" x 1.25" • Incandescent

<b>1-16647</b>	(Mfg# G3RA-P)	\$3.88
Chrome Mounting Base-Sold Separately		
<b>1-16675</b>	(Mfg# G3B-C)	\$2.49



## Sealed LED Marker Lights



- 4" x 2" • Built-in 2-wire pigtail • 16 LED • 3" hole mount centers

<b>1-16657</b>	(Mfg# CP120A-P) Amber	\$8.89
<b>1-16658</b>	(Mfg# CP120R-P) Red	\$8.89
Chrome lens guard For 120 Series		
<b>1-16669</b>	(Mfg# G120B-C-P)	\$3.85



## Sealed LED Marker Lights



- 3.75" x 1.25" • 4 LED

<b>1-16659</b>	(Mfg# CPL375A-P) Amber	\$7.29
<b>1-16660</b>	(Mfg# CPL375R-P) Red	\$7.29

Chrome Mounting Base-Sold Separately

<b>1-16675</b>	(Mfg# G3B-C)	\$2.49
----------------	--------------	--------



## Round Sealed LED Marker Lights



Grommet and plug sold separately.

- 2.5" Red • 13 LED

<b>1-16654</b>	(Mfg# CPL25-R-P) Red Light	\$8.19
<b>1-16673</b>	(Mfg# G25G-P) 2.5" Grommet	\$1.15
<b>1-16667</b>	(Mfg# GP1-P) 2-wire plug	\$1.15



## Round Marker LED Light



Grommet and plug sold separately.

- 2" • 10 LED

<b>1-16655</b>	(Mfg# CPL2-A-P) Amber	\$6.84
<b>1-16656</b>	(Mfg# CPL2R-P) Red	\$6.84
<b>1-16674</b>	(Mfg# G2G-P) 2" Grommet	\$1.03
<b>1-16667</b>	(Mfg# GP1-P) 2-wire plug	\$1.15



## 2-Wire Plug F/ Marker Lights



<b>1-16667</b>	(Mfg# GP1-P)	\$1.15
----------------	--------------	--------



## 4" Round Tail Light



Grommet and plug sold separately.

### Red stop / tail / turn light

<b>1-16637</b>	(Mfg# G4R-P) Red	\$5.35
----------------	------------------	--------

### Backup Light

<b>1-16638</b>	(Mfg# G4CL-P) Clear	\$5.35
<b>1-16671</b>	(Mfg# G4G-P) 4" Grommet	\$1.41
<b>1-16668</b>	(Mfg# GP2-P) Triple Plug	\$1.29



## Sealed Oval LED Tail Light



Grommet and plug sold separately.

- 6.5" Red stop / tail / turn light • 20 LED

<b>1-16651</b>	(Mfg# CPL65-R-P) Red Light	\$25.98
<b>1-16672</b>	(Mfg# G65G-P) Grommet	\$1.74
<b>1-16668</b>	(Mfg# GP2-P) Triple Plug	\$1.29



## 6.5" Oval Tail Light and Backup Light



Grommet and plug sold separately.

### Red stop / tail / turn light.

<b>1-16635</b>	(Mfg# G65R-P)	\$5.67
----------------	---------------	--------

### Backup Light Clear, 6.5"

<b>1-16636</b>	(Mfg# G65CL-P)	\$5.67
----------------	----------------	--------

### Components

<b>1-16672</b>	(Mfg# G65G-P) Grommet	\$1.74
<b>1-16668</b>	(Mfg# GP2-P) Triple Plug	\$1.29



## Grommets



### Round Grommets

<b>1-16671</b>	(Mfg# G4G-P) 4"	\$1.41
<b>1-16673</b>	(Mfg# G25G-P) 2.5"	\$1.15
<b>1-16674</b>	(Mfg# G2G-P) 2"	\$1.03

### 6.5" Oval Grommet

<b>1-16672</b>	(Mfg# G65G-P)	\$1.74
----------------	---------------	--------



### 3-Wire Plug For Tail Lights



**1-16668** (Mfg# GP2-P) Triple Contact \$1.29



### #06 Series Sealed Recessed Tail Light



Hermetically sealed lens to base seals out corrosion contributing salt and rain. Structurally immune to extreme heat and cold. Meet DOT photometric requirements and SAE specs.

**Dimensions:** 6 1/2" x 2 1/4" x 2 3/8" depth

**44-06-031** \$10.48



### Compact 12 Volt Surface Mount Tail Light



Corrosion free design (including sockets) utilizes S-8 style lamp maintaining high reliability in demanding environments. Available with license plate bracket. SAE App. **Dimensions:** 8 5/8" x 3 3/4" x 2 1/8"

**1-12708** (Mfg#003-81) Tail Light \$15.57

**1-12709** (Mfg#003-81L) Light W/Bracket \$17.48

**1-12710** (Mfg#89-187) Red Rep. Lens \$8.93



### License Plate Light



Modern Style, White. Uses #168 bulb.  
**Dimensions:** 8 3/8" x 2 1/2" x 2 9/16"

**1-14386** (Mfg# 003-70P) \$12.93



### #84 Series Recessed Double Tail Light



**34-84-010** Lens Red, Bagged \$7.53  
**34-84-711** Lens, Horizontal Mount Backup, Bagged \$10.38



### LED Upgrade Kit #84 Series




Remove bulb and lens, replace with new LED module and instantly have LED lights. Note: Amber modules and amber turn lights meet FMVSS/CMVSS 108 requirements for trailer over 80" width.

**42-84-410** (Mfg# 42-84-410) Red \$45.78  
**42-84-412** (Mfg# 42-84-412) Amber \$45.78  
**42-84-414** (Mfg# 42-84-414) Red Reflex w/ Clear Center \$94.12



### 436 License Plate Light



- Features our patented Vibar® socket, tough polycarbonate lens, and ABS hood.
- All internal parts are durable stainless-steel or tinned-brass
- Surface mounts on 3 1/4" centers.
- Includes a black powder-coated, steel license plate bracket riveted to light.
- Ground through mounting hardware.

**1-16769** (Mfg# M436B) \$11.60



### #92 Series Surface Mount Tail Light



Includes automotive corrosion resistant bulb sockets and 16 gauge supply and ground wiring. These lights meet and exceed DOT requirements and are designed for long life and easy installation. These units are designed for horizontal mounting only. Meets and exceeds DOT requirements. Horizontal mount only. Bagged.

**Dimensions:** 8 9/16" X 4 9/16" X 2 1/8"

<b>34-92-002</b>	White Base w/ Back-up	\$12.23
<b>34-92-003</b>	White Base with License Light and Bracket	\$9.23
<b>34-92-004</b>	White Base, Horizontal Mount w/ Backup and Bracket	\$13.69
<b>34-92-012</b>	Repl. Lens	\$5.74
<b>34-92-704</b>	Repl. Lens with Backup	\$10.03
<b>34-92-708</b>	Repl. Lens with License Light	\$6.30
<b>34-92-713</b>	Repl. Lens with Backup and License Light	\$7.78



### License Plate Bracket



Heavy Duty. 1 Year limited warranty.

**Dimensions:** 15" L x 7" W X 1.5" H

**34-72-100** Bagged \$9.50



### Submersible Trailer Light Kit



Includes: 2 stop tail lights, 2 amber marker lights, 25' trailer wire harness, 4' trunk connector, license bracket, all mounting hardware. Voltage 8-14 VDC.

**1-16124** (Mfg# LTLK01) LED \$79.95  
**1-16125** (Mfg# TLK01) \$29.95


# Electrical & Lighting


**440 Tail Light**


- Under-80" combination tail light.
- Includes the following functions: stop, turn, tail, rear reflex, side marker, side reflex, and license light ("L" suffix only).
- Viz Pack and poly pack units include lead wire.
- Mounts on 2" centers and includes mounting hardware.
- Grounds through 1/4" mounting studs.

**Viz Pack:**

<b>1-16745</b>	(Mfg# V440) w/o license light	\$14.10
<b>1-16746</b>	(Mfg# V440L) w/ license light	\$15.55
<b>Replacement Lens, Poly Pack:</b>		
<b>1-16747</b>	(Mfg# 440-15) stop & tail lens	\$3.90
<b>1-16748</b>	(Mfg# 55-15R) side marker lens	\$2.40


**25913/25914 Combination Tail Light**


- Surface mount rear stop, turn, tail & license light with reflex.
- Includes license plate bracket and license light.
- Available with or without integral back-up light.
- Self-service Viz Pack packaging.


**1-16757** (Mfg# V25913) w/ lic light & bracket \$17.15

**1-16758** (Mfg# V25914) w/ lic light, bracket, back-up \$19.20

**Replacement Lens:**

**1-16759** (Mfg# V25913-25) w/ license light \$8.70

**1-16760** (Mfg# V25914-25) w/lic light & backup \$10.45


**457 Combination Tail Light**


- Combination tail light with polar white base.
- Attractive rounded shape.
- Rugged, corrosion-resistant bulb socket.
- Includes the following functions: stop, turn, tail, rear reflex, and license light ("L" suffix).
- Grounds through mounting hardware.
- Designed for horizontal mounting.
- Popular for use on enclosed trailers or recreational vehicles.

**Viz Pack:**

<b>1-16749</b>	(Mfg# V457) w/o license light	\$23.95
<b>1-16750</b>	(Mfg# V457L) w/ license light	\$23.95

**Replacement Lens, Poly Pack:**

<b>1-16751</b>	(Mfg# B457-15) w/o license light	\$10.05
<b>1-16752</b>	(Mfg# B457L-15) w/ license light	\$10.05


**25911/25912 Combination Tail Light**


- Surface mount rear stop, turn, & tail light with reflex.


- Available with or without integral back-up light.

- Self-service Viz Pack packaging.

**1-16753** (Mfg# V25911) Red \$16.20  
**1-16754** (Mfg# V25912) w/ back-up light \$18.30

**Replacement lens:**

<b>1-16755</b>	(Mfg# V25911-25) Red	\$8.70
<b>1-16756</b>	(Mfg# V25912-25) w/ backup light	\$10.10


**25923/25924 Combination Tail Light**


- Surface mount rear stop, turn, tail & license light with reflex.
- Includes license plate bracket and license light.
- Available with or without integral back-up light.
- Self-service Viz Pack packaging.


**1-16765** (Mfg# V25923) w/ lic light & bracket \$17.70

**1-16766** (Mfg# V25924) w/ lic light, bracket, back-up \$19.20

**Replacement Lens:**

**1-16767** (Mfg# V25923-25) w/ license light \$8.70

**1-16768** (Mfg# V25924-25) w/ license light & back-up \$10.45



- Surface mount rear stop, turn & tail light with reflex.

- Available with or without integral back-up light.

- Self-service Viz Pack packaging.

**1-16761** (Mfg# V25921) Red \$17.65  
**1-16762** (Mfg# V25922) w/ backup light \$18.85

**Replacement Lens:**

**1-16763** (Mfg# V25921-25) Red \$8.30  
**1-16764** (Mfg# V25922-25) w/ backup light \$9.75



## ATC/ATO Blade Fuses



2/Card Pack

<b>5-65121</b>	(Mfg# 65121) 3A, Violet	\$1.35
<b>5-65123</b>	(Mfg# 65123) 5A, Tan	\$1.05
<b>5-65125</b>	(Mfg# 65125) 7.5A, Brown	\$1.06
<b>5-65127</b>	(Mfg# 65127) 10A, Red	\$1.05
<b>5-65129</b>	(Mfg# 65129) 15A, Blue	\$1.05
<b>5-65131</b>	(Mfg# 65131) 20A, Yellow	\$1.04
<b>5-65133</b>	(Mfg# 65133) 25A, Clear	\$1.27
<b>5-65135</b>	(Mfg# 65135) 30A, Green	\$1.35
<b>5-65136</b>	(Mfg# 65136) Assorted 6/Pk - 1ea. 5, 10, 15, 20 and 30Amp	\$1.97



## Mini Blade Fuses



2/Card Pack

<b>5-65141</b>	(Mfg# 65141) 5A, Tan	\$1.25
<b>5-65143</b>	(Mfg# 65143) 7.5A, Brown	\$1.27
<b>5-65145</b>	(Mfg# 65145) 10A, Red	\$1.27
<b>5-65147</b>	(Mfg# 65147) 15A, Blue	\$1.25
<b>5-65149</b>	(Mfg# 65149) 20A, Yellow	\$1.24
<b>5-65151</b>	(Mfg# 65151) 25A, Clear	\$1.25
<b>5-65153</b>	(Mfg# 65153) 30A, Green	\$1.24



## Maxi Blade Fuses



2/Card Pack

<b>5-65163</b>	(Mfg# 65163) 30A, Green	\$4.26
<b>5-65165</b>	(Mfg# 65165) 40A, Orange	\$4.26
<b>5-65167</b>	(Mfg# 65167) 50A, Red	\$4.26
<b>5-65169</b>	(Mfg# 65169) 60A, Blue	\$4.26



## AGC Glass Fuses



5/Card Pack

<b>5-65095</b>	(Mfg# 65095) 4 Amp	\$1.37
<b>5-65097</b>	(Mfg# 65097) 5 Amp	\$1.40
<b>5-65101</b>	(Mfg# 65101) 10 Amp	\$1.37
<b>5-65103</b>	(Mfg# 65103) 15 Amp	\$1.30
<b>5-65105</b>	(Mfg# 65105) 20 Amp	\$1.31
<b>5-65109</b>	(Mfg# 65109) 30 Amp	\$1.31



## Automatic-Reset Circuit Breakers



6-24 Volt application. Plastic cover, straight mounting bracket. No. 10 K-Lock Nut included. 1 per card.

<b>5-65222</b>	(Mfg# 65222) 20 Amp	\$1.60
<b>5-65224</b>	(Mfg# 65224) 30 Amp	\$1.60
<b>5-65226</b>	(Mfg# 65226) 50 Amp	\$1.60



## Circuit Breakers



Stud terminals. Integral mounting bracket. Carded.

<b>1-10137</b>	(Mfg# 16-3020) 20 Amp	\$4.02
<b>1-10690</b>	(Mfg# 16-3030) 30 Amp	\$4.02
<b>1-11518</b>	(Mfg# 16-3040) 40 Amp	\$4.02



## ATO/ATC/Blade Type Fuse Holders



1/Cd

<b>5-65250</b>	(Mfg# 65250) 16 Ga./20A	\$4.19
<b>5-65252</b>	(Mfg# 65252) 12 Ga./25-30A	\$3.49



## Circuit Tester 6-12V



Test continuity of ground circuit of lamps, wiring, fuses, switches, battery cable circuits, etc.

<b>5-63926</b>	(Mfg# 63926) Pkg.	\$6.92
----------------	-------------------	--------



## Test Light



For use on 6 and 12V systems. Test shorts in wiring, finding live or broken wires, wiring trailers, test fuses, switches and many other uses.

<b>1-12074</b>	(Mfg# 08-9010)	\$3.55
----------------	----------------	--------

**Pigtail**

- Single wire with brass contact, nylon washer, and plug with stainless steel spring.
- Non-indexing type for all G-6, S-8, and S-11 single contact bulbs.
- Poly Pack

**1-16771** (Mfg# 411-07) 10" lead \$3.20

**Pigtail**

- Two wires with brass contacts, nylon washer, and plug with stainless steel spring.
- Indexing type for all S-8 double contact bulbs.
- Poly Pack

**1-16772** (Mfg# 413-07) 10" leads \$3.90

**Power Grip™ Electrical Protectant and Lube**



















Use on any electrical connector to improve conductivity and protect from oxidation. Also helps make connectors easier to insert and remove. Perfect for use with Camco's Power Grip™ Adapters and Extension Cords.

**5-55013** (Mfg# 55013) 1oz. \$5.99

**12V - 15W Fluorescent Bulb**

Fits standard screw-in socket. Perfect for use with solar power panels. Save energy. 15 watt fluorescent bulb delivers the lighting power of a 60 watt incandescent.

**5-41313** (Mfg# 41313) \$9.77

**Bulbs**

See the next page for specifications and part numbers.



## Bulbs

<b>AIM #</b>	<b>Pic #</b>	<b>Mfg#</b>	<b>Description</b>	<b>Design Volts</b>	<b>Watts / Amps</b>	<b>Candle Power</b>	<b>Life Hours</b>	<b>List</b>
<b>5-54706</b>	1	54706	#20-99 RV Cosmetic Bulb, Frosted 10/Bx	13	13	-	-	\$1.43ea.
<b>5-54707</b>	1	54707	#20-99 RV Cosmetic Bulb, Frosted 1/Cd	13	13	-	-	\$2.08
<b>5-54708</b>	1	54708	#20-99 RV Cosmetic Bulb, Clear 10/Bx	13	13	-	-	\$1.40ea.
<b>5-54709</b>	1	54709	#20-99 RV Cosmetic Bulb, Clear 1/Cd	13	13	-	-	\$2.37
<b>5-54714</b>	2	54714	#57 Auto Instrument 10/Bx	14	.24	2	500	\$ .43ea.
<b>5-54715</b>	2	54715	#57 Auto Instrument 2/Cd	14	.24	2	500	\$1.28
<b>5-54750</b>	3	54750	#194 Heavy Duty Auto Instrument 10/Bx	14	.27	2	2500	\$ .27ea.
<b>5-54751</b>	3	54751	#194 Heavy Duty Auto Instrument 2/Cd	14	.27	2	2500	\$0.95
<b>5-54754</b>	4	54754	#211-2 Auto Interior 10/Bx	12.8	.97	12	1000	\$ .61ea.
<b>5-54755</b>	4	54755	#211-2 Auto Interior 2/Cd	12.8	.97	12	1000	\$1.69
<b>5-54766</b>	5	54766	#912 Auto/RV/Marine Interior 10/Bx	12.8	1	12	1000	\$ .48ea.
<b>5-54767</b>	5	54767	#912 Auto/RV/Marine Interior 2/Cd	12.8	1	12	1000	\$1.55
<b>5-54768</b>	5	54768	#921 Auto 3rd Brake Lamp 10/Bx	12.8	1.4	21	1000	\$ .48ea.
<b>5-54769</b>	5	54769	#921 Auto 3rd Brake Lamp 2/Cd	12.8	1.4	21	1000	\$1.55
<b>5-54763</b>	5	54763	#906 Auto/RV Interior 2/Cd	13	.69	6	1000	\$1.72
<b>5-54772</b>	6	54772	#1003 Auto/RV Interior 10/Bx	12.8	.94	15	100	\$ .58ea.
<b>5-54773</b>	6	54773	#1003 Auto/RV Interior 2/Cd	12.8	.94	15	100	\$1.68
<b>5-54788</b>	7	54788	#1141 Auto/RV Back Up 10/Bx	12.8	1.44	21	1000	\$ .45ea.
<b>5-54789</b>	7	54789	#1141 Auto/RV Back Up 2/Cd	12.8	1.44	21	1000	\$1.77
<b>5-54802</b>	7	54802	#1156 Auto Back Up 10/Bx	12.8	2.1	32	1200	\$ .49ea.
<b>5-54803</b>	7	54803	#1156 Auto Back Up 2/Cd	12.8	2.1	32	1200	\$1.53
<b>5-54806</b>	7	54806	#1157 Auto Park/Tail/Signal 10/Bx	12.8	2.1	32	1200	\$ .53ea.
<b>5-54807</b>	7	54807	#1157 Auto Park/Tail/Signal 2/Cd	12.8	2.1	32	1200	\$2.53
<b>5-54780</b>	8	54780	#1076 Auto/RV/Marine Signal 10/Bx	12.8	1.8	32	200	\$ .39ea.
<b>5-54781</b>	8	54781	#1076 Auto/RV/Marine Signal 2/Cd	12.8	1.8	32	200	\$1.72
<b>5-54822</b>	9	54822	#1383 Auto/RV Reading Bulb, Frosted 1/Bx	13	1.5		300	\$3.90
<b>5-54823</b>	9	54823	# 1383 Auto/RV Reading, Frosted 1/Cd	13	1.5		300	\$4.67
<b>5-54837</b>	10	54837	#1895 Auto Instrument 2/Cd	14	.27	2	2000	\$1.63
<b>5-54818</b>	10	54818	#1295 Auto Cornering 10/Bx	12.5	3	50	300	\$ .79ea.
<b>5-54824</b>	11	54824	#1414 Auto/RV 10/Bx	14	.46	6	500	\$1.96ea.
<b>5-54825</b>	11	54825	#1414 Auto/RV 2/Cd	14	.46	6	500	\$4.48
<b>5-54826</b>	11	54826	#1416 Marine 10/Bx	12.8	.8	8	1000	.68ea.
<b>5-54827</b>	11	54827	#1416 Marine 2/Cd	12.8	.8	8	1000	\$1.93
<b>5-54702</b>	12	54702	JC-10 Halogen Fog/Driving 1/Bx	12	.83	-	2000	\$3.54
<b>5-54711</b>	13	54711	#53 Auto Instrument 2/Cd	14.4	.12	1	1000	\$1.20
<b>5-54721</b>	14	54721	#67 Auto License 2/Cd	13.5	.59	4	5000	\$1.65
<b>5-54729</b>	15	54729	#90 Auto/Marine Interior 2/Cd	13	.58	6	750	\$2.03
<b>5-54775</b>	16	54775	#1004 Auto/RV Interior 2/Cd	12.8	.94	15	100	\$1.45
<b>5-54757</b>	17	54757	# 212-2 Auto/Marine 2/Cd	13.5	.74	6	2000	\$2.10
<b>5-54787</b>	17	54787	#1139IF RV/Marine/Truck Interior 2/Cd	12.8	1.04	15	700	\$2.18
<b>5-54797</b>	17	54797	#1143IF RV/Marine Interior 2/Cd	12.5	1.98	21	400	\$3.82
<b>5-54811</b>	18	54811	#1157NA/#1034NA Auto Park/Tail 2/Cd	12.8	2.1	24	1200	\$3.12
<b>5-54839</b>	18	54839	#2057 Auto Park/Tail/Signal 2/Cd	12.8	2.1	32	1200	\$1.83
<b>5-54890</b>		54890	A-15 Oven Type 1/Cd	12	15			\$1.92
<b>5-54892</b>		54892	A-19 House Type 2/Cd	12	25			\$2.07
<b>5-54894</b>		54894	A-19 House Type 2/Cd	12	50			\$2.83

# Electrical & Lighting



## 120 Volt Line Monitor



120 Volt Line Monitor is designed to plug into any 120V wall receptacle and provide a continuous, accurate reading of the AC line voltage.

**5-55263** (Mfg# 55263) \$14.99



## AC Voltage Line Meter



AC Voltage Line Meter shows if low voltage condition exists. Plugs into any 120 volt outlet. Helps you protect voltage sensitive equipment such as air conditioners and computers. Green and red zone indicates safe and unsafe conditions.

**1-13248** (Mfg# 12-4055) \$17.36



## PVC Electrical Tape



All-Weather UL and CAS approved electrical tape. 3/4" x 60'.

**5-65085** (Mfg# 65085) Pkg. \$2.78

## Black Electrical Tape



**1-0010** (Mfg# 6047) 3/4" x 60' \$1.49



## Primary Wire




16 Gauge. 500ft. Spool.

<b>5-63960</b>	(Mfg# 63960) Red	\$ .27ft.
<b>5-64029</b>	(Mfg# 64029) Black	\$ .09ft.
<b>5-64166</b>	(Mfg# 64166) White	\$ .25ft.



## Trailer Cable



### 7 Conductor 14 Gauge

Black PVC Jacket, copper wires, color coded: yellow, red, green, brown, black, white and blue. Diameter .60

**5-64652** (Mfg# 64652) 100' Spool \$266.37

### 7 Conductor Multi-Gauge

Black PVC jacket, copper wires, color coded for RV: 2-10 gauge black and white, 1-12 gauge blue, 4-14 gauge yellow, red, green, and brown. Diameter .69

**5-64675** (Mfg# 64675) 100' Spool \$357.78



## Self Tapping Connector



White 18-14 Gauge

**5-63809** (Mfg# 63809) 100/Bag \$12.85



## Wire Connector 3M™



Self-Stripping Moisture Resistant, Electrical Connector contains a special lubricant to protect from corrosion in damp conditions. It is capable of connecting 2 or 3 wires in the range of No. 22-14 AWG solid or stranded copper wire in a pigtail application. Wires are held with a double U element to provide a stronger connection while reducing electrical resistance.

**5-64529** (Mfg# 64529) 100' Roll \$1.76ft.  
**5-64530** (Mfg# 64530) 250' Roll \$1.73ft.

**1-14806** (Mfg# 014-122084-20) 20 Pk. \$21.59



## Connector Cleaner



This brush effectively cleans any connector. The high carbon steel bristles are rust resistant and are designed for rugged cleaning. Our braided steel handle can be formed to fit any job and stores easily with your other towing items. Packaged.

**1-47179** (Mfg# 01000) \$4.89



## Deluxe Connector Cleaner



This brush effectively cleans any connector. The high carbon steel bristles are rust resistant and are designed for rugged cleaning. Our wooden handle fits easily in your hand and stores with your other towing items. Packaged.

**1-47178** (Mfg# 11000) \$9.39



## 7-Way Trailer Emulator



Used for the proper installation and set up of a brake control when trailer is not readily available.

**6562** Packaged \$38.07



## Light Check & Safety Plug



Using the LightCheck, one person can check the lights out WITHOUT having to plug in the tow vehicle to see if they are operational. Simply plug the 7 pin electrical cord from the front of the rig into the LightCheck and the lights on the trailer will come on. The clearance lights will stay on. The signal lights and turn signals will flash so you can determine if everything is okay. LightCheck uses the charged trailer battery to energize the lights.

**7-0911** (Mfg# 114) \$51.49



## 4-Way Trailer Test Light



Trailer light problems are easily identified by plugging this 4-Way tester into your existing car-end connector. Also helps to properly install a 4-way connector without a trailer attached.

**5-64776** (Mfg# 64776) Carded \$11.80



## 4-Way Wishbone Trailer Harnesses



Male Plug, Bagged.

**5-64839** (Mfg# 64839) 12" \$4.54

**5-64841** (Mfg# 64841) 24" \$5.83



## Complete Trailer Connector




2-Way Flat Car and Trailer End. 18 gauge 12" long, Bagged.

**5-64858** (Mfg# 64858) \$1.08



## Trailer Connector



4-Way Complete Male/Female 12"

**5-64834** (Mfg# 64834) Bulk \$5.25

**5-64835** (Mfg# 64835) Pkg. \$6.68



## Cable Guard



For 11-700, 11-704, 11-900, 11-904 & 11-852

**1-03365** (Mfg# 11-763) \$1.71



## 4-Way Connectors

Car



Trailer



Polarized. Accept up to #12 gauge wire.

**1-10197** (Mfg# 11-402) Trailer End \$9.11  
**1-10196** (Mfg# 11-404) Car End \$12.29



## 4-Way Connectors



Car



Trailer

12-24V, 20A, Polarized. Chrome Die Cast ABS Plastic. High impact green insulators and split brass contacts.

**1-10219** (Mfg# 11-408) Complete Assy \$11.43

**1-10220** (Mfg# 11-409) Trailer End \$4.73

**1-10221** (Mfg# 11-410) Car End \$6.46

# Electrical & Lighting



## 6-Way Connector

Car



Trailer

Brass terminal pins accept up to #12 gauge wires. Plated steel cable guards. Two 1/4" mounting holes on 6-way sockets, 2-7/8" on center. Mounts through 1-3/8" hole.

**1-10208** (Mfg# 11-609) Car End, Metal \$14.31  
**1-10209** (Mfg# 11-604) Trailer, Metal \$9.29



## Connector Brackets

Fits 4-way, 5-way or 6-way.



**1-10198** (Mfg# 11-617) \$2.18



## 7-Way Connector—Flat Blade

Car



Trailer



Die-cast housing

**1-10189** (Mfg# 12-702) Trailer End \$8.17  
**1-10188** (Mfg# 12-703) Car End \$11.08

Plastic

**1-10444** (Mfg# 12-706) Trailer End \$6.80  
**1-10445** (Mfg# 12-707) Car End \$8.87



## 7-Way Connector – Round

Car



Trailer

Zinc die-cast. 6-28 Volts.

**1-10213** (Mfg# 11-700) Trailer End \$15.20  
**1-10212** (Mfg# 11-720) Car End \$18.24



## 9-Way Heavy-Duty Connector



Car



Trailer

**1-10389** (Mfg# 12-906) Trailer End \$12.94  
**1-10390** (Mfg# 12-907) Car End \$13.41



## Connector Brackets



Right angle. Designed for use with 7-way or 9-way.

**1-10193** (Mfg# 12-701U) 7 or 9 way \$1.86

7-way bracket for round pin.



**1-14805** (Mfg# 11-771) \$2.07



## 6-Way to 4-Way Flat Connector Adapter



Non corrosive glass filled nylon shell. Fits all 6-way sockets. Eliminates makeshift jumpers.

**1-15404** (Mfg# 12-717V) \$11.57



## 7-Way to 4-Way Connector Adapter



Non corrosive nylon shell. Tethered cap for protection from sand, dirt or moisture intrusion. Eliminates makeshift jumpers.

**1-18256** (Mfg# 12-716V) \$11.83



## 7-Way to 5-Way Connector Adapter



Adapter has non corrosive glass filled nylon shell and fits all OEM and aftermarket RV 7-Way.

**1-15401** (Mfg# 12-718V) \$17.61



## 7-Way to 6-Way Connector Adapter



Non corrosive glass-filled nylon shell. Fits all OEM and Aftermarket RV 7-way sockets.

**1-15432** (Mfg# 12-719V) Brake Pin \$14.30  
**1-15403** (Mfg# 12-729V) Auxiliary Pin \$14.30



## RV 7 Way OEM Socket



12V, 30Amps. High-impact nylon to eliminate rust and corrosion issues. For Ford and GM OEM applications. Packaged.

**1-03630** (Mfg# 11-893V) \$20.42



## Twist and Lock RV 7-Way Connector Socket



Features high-impact nylon shell, stainless steel spring, and rubber gasket to form a weather resistant design. Socket lid has a drain slot and is angled down for drainage. Fits GM style and various Nissan models.

**1-10452** (Mfg# 11-916) Packaged \$21.78



## 4-Wire Flat to 6-Pole Round Adapter



Compatible with standard mounting bracket. Allows the user to create custom plug-in wiring systems for any towing situation. Plastic.

**1-15405** (Mfg# 12-610EV) \$39.30



## 4-Wire Flat to 7-Way RV Blade Round



Compatible with standard mounting bracket. Allows the user to create custom plug-in wiring systems for any towing situation. Plastic.

**1-15406** (Mfg# 12-723EV) \$34.85



## Adapter



Converts 6 way wiring connector on your vehicle to 7 way flat connector for trailers.

**1-15407** (Mfg# 12-725EV) \$35.13

## Bargman.

## 7-Way Metal Connector



12-volt with plastic core. Metal can is 20 gauge steel, zinc plated to protect against corrosion. Trigger grip for easy disconnection.

**50-57-503** Car End \$9.13  
**50-57-007** Trailer End \$6.18



## 7-Way Thermo-Plastic Connector



12V. Brass contacts. Built-in cable clamp prevents wear on 7-way cable.

**50-77-001** Car End \$6.40  
**50-77-003** Trailer End \$5.37



## Car End Mounting Bracket



Heavy duty 16 gauge zinc plated steel. For use with 7-way connectors.

**50-77-070** Zinc \$1.11  
**50-77-071** Black \$1.61



## 7-Way Sealed Car End with Cable



Tin plated contacts. Stainless steel door spring. Glass filled thermo plastic. Terminals and wires sealed at rear to form one weather-tight, non-corrosive assembly.

**50-87-004** 4' Cable \$44.52  
**50-87-007** 7' Cable \$46.06



## 7-Way Molded Trailer End Connector and 8' Cable



Self-cleaning contacts. Molded to encapsulate terminals and wires. Primary wire gauges are: Black & White - 10Ga, Blue - 12Ga, Brown-Red-Green-Yellow - 14Ga. Molded connector can be used with thermo-plastic or metal 7-way car end connectors.

**50-67-003** \$42.26



## Right Angle 7-Way Plug Connector 7' Cable



Permits a clean and flush 5th Wheel or Gooseneck connector interface on pick-up bed side. Includes patented mounting bracket that allows for installation in virtually all pick-up models and styles and 4 self-tapping stainless steel screws. 7' extension cable fits all pick-up styles and models.

**50-97-407** \$54.34



## 7-Way Round to 4-Way Flat



**1-15408** (Mfg# 118702) \$11.45



## Plug Wiring Adapter 7-Way



Provides versatility in going from a 4-Way Flat car end to a 7-Way (Blade Style) round connector. Extra wires for adding brake controls, backup or hot wire.

**20321** \$26.41



## Breakaway Switch



Completely sealed to insure braking on towed vehicle during accidental separation of trailer and towing vehicle. Required by law in some states. Emergency use only, not to be used to lock brakes when parked or stored.

**54-85-002** 48" Repl. Lanyard \$5.94  
**54-85-007** Switch, Bagged \$12.42  
**50-85-007** Switch, Bulk \$9.75

# Electrical & Lighting



## Flexo-Coil™ and Straight Electrical Cords



Flexo-Coil cords expand to more than 8', and conveniently contracts for storage; use a straight electrical cord kit for ROADMASTER All Terrain tow bars. Both styles are water, oil and chemical resistant. Plugs are injected with silicone to prevent corrosion.

<b>RM164</b>	4-wire Flexo-Coil kit	\$64.38
<b>RM1644</b>	4-wire Flexo-Coil kit with socket bracket	\$77.36
<b>RM146</b>	6-wire Flexo-Coil kit	\$77.87
<b>RM1466</b>	6-wire Flexo-Coil kit with socket bracket	\$90.85
<b>RM164-7</b>	7-wire to 4-wire Kit	\$77.25
<b>RM146-7</b>	7-wire to 6-wire Kit	\$83.19
<b>RM98164</b>	4-wire straight cord kit	\$58.56
<b>RM98146</b>	6-wire straight cord kit	\$71.54
<b>RM98146-7</b>	7-wire to 6-wire straight cord kit	\$77.25
<b>RM98164-7</b>	7-wire to 4-wire straight cord kit	\$65.35



## Universal Wiring Kit



Uses a system of diodes to wire the towed vehicle's brake lights, taillights and running lights for towing.

<b>RM150</b>	Universal Wiring Kit with Two Hy-Power diodes	\$71.73
<b>RM154</b>	Universal Wiring Kit with Four Hy-Power diodes	\$97.14



## Taillight Wiring Kit



Bypasses the towed vehicle's lighting with a set of independent plugs and sockets, mounted inside the taillights.

<b>RM155</b>		\$71.73
--------------	--	---------



## Brite-Lite 3-to-2 Wiring Converter

Delivers more current to the towed vehicle's brake and turn signal lights for brighter illumination.

<b>RM732</b>		\$52.39
--------------	--	---------



## Hy-Power™ Diodes



Have a heavy-duty, anodized aluminum heat sink, and all components are housed inside an epoxy-sealed, anodized aluminum case. Splice into the towed car's wiring system without damaging expensive electronic dash components. Two pack required for most vehicles. Includes wiring instructions.

<b>RM790</b>	One Hy-Power Diode	\$12.68
<b>RM792</b>	Two Hy-Power Diode	\$25.42
<b>RM793</b>	Three Hy-Power Diode	\$38.04
<b>RM794</b>	Four Hy-Power Diode	\$50.78
<b>RM790-25</b>	25 Hy-Power Diode	\$321.60



## 3-Outlet 12V Power Strip



Installs almost anywhere in your RV. Get three times the use from an existing 12V outlet. Outlet covers helps protect adapter's unused outlets, making it ideal for use in an exterior storage compartment. Connects directly to your auxiliary/deep cycle battery or fuse box, or to existing 12V outlets or 12V RV wiring.

<b>5-42223</b>	(Mfg# 42223)	\$19.99
----------------	--------------	---------



## 12V 3-Way Adapter



One insulated socket is suitable for your cigarette lighter while remaining two are available for car phones, radar, auxiliary lights, etc. Features a built in 10 amp fuse to protect against overload.

<b>1-48883</b>	(Mfg# 08-5045)	\$10.21
----------------	----------------	---------



## 12V Extension Cord



Double your 12V access with this handy device. You get two receptacles for one. Consists of cigarette lighter plug and 5" of wire attached to two 12V receptacles.

<b>1-49979</b>	(Mfg# 08-0910)	\$7.12
----------------	----------------	--------



## 10' Extension Cord



No need to look for a 12 volt outlet. This cord enables you to use your 12 volt appliance anywhere there's a battery. Consists of a 12 volt receptacle, 10' of wire and two heavy duty battery clips.

<b>1-49981</b>	(Mfg# 08-0915)	\$8.69
----------------	----------------	--------



## 15' Extension Cord



This cord stays neat and tangle free at all times. Great for 12 volt lights, TV, etc. Consists of a cigarette lighter plug, 15' coiled wire and 12 volt receptacle.

<b>1-49982</b>	(Mfg# 08-0918)	\$11.88
----------------	----------------	---------



## 25' 12V Extension Cord



This handy extension cord makes it easy to use your 12 volt air compressor, TV set, spotlite etc. where you need them. Cord consists of cigarette plug, 25 feet of wire and 12 volt receptacle.

<b>1-49980</b>	(Mfg# 08-0917)	\$13.45
----------------	----------------	---------



**NORTHEAST PRODUCTS LLC**  
Manufacturers of Plastic Battery Boxes

## Battery Boxes



Polypropylene Construction. Impervious to battery acid and gasoline. Vented design allows dangerous vapors to escape. Includes a heavy-duty battery box tie down kit.

**Group 24:** 10 3/4" X 7 1/4" X 8 3/8" Deep

**Group 27:** 13 1/2" X 7 1/4" X 8 1/2" Deep

**Universal:** (Group 24-31)

13 1/2" X 7 1/4" X 8 1/2" Deep

<b>HM-300-BK</b>	(Mfg# 013-199) Group 24 Blk	\$8.69
<b>HM-327-BK</b>	(Mfg# 013-200) Group 27 Blk	\$10.75
<b>HM-318-BK</b>	(Mfg# 013-236) Group 24-31 Blk	\$11.79
<b>HM-318-W</b>	(Mfg# 013-236W) Group 24-31 Wht	\$14.59
<b>HM-306-BK</b>	(Mfg# 013-526) 6-Volt Black	\$9.39



**NORTHEAST PRODUCTS LLC**  
Manufacturers of Plastic Battery Boxes

## Battery Box Strap



Made from Heavy Duty Webbing. Complete with mounting hardware.

<b>HM-003</b>	(Mfg # 013-201) 38"	\$4.35
---------------	---------------------	--------



## Battery Quick Disconnect Caps



Fits top post batteries and side post batteries with standard post adapters. Stainless steel and copper zinc alloy. RoHS Compliant. Fits 4 to 6 gauge wires. Rated 500 amps continuous, 800 amps surge at 12 volts. Color-coded caps: red and black. Sold as a pair.

<b>1-14525</b>	(Mfg# 20158)	\$19.99
----------------	--------------	---------



## Compact Battery Switches



Easy to install on negative battery post. Battery is disconnected by unscrewing the knob a few turns, and reconnected by tightening the knob. Knob can be removed completely to deter theft. Compact size fits most battery compartments. Rated 500 amps surge and 125 amps continuous at 12 volts. Top mount with fused bypass.

<b>1-14647</b>	(Mfg# # 20309)	\$13.59
----------------	----------------	---------



## Surface Mounted "In-Line"/Remote Mount Switches



For concealed installations, or where battery box space is limited. One side connects to the battery cable; other side connects to the vehicle cable. Both terminals are 5/16" bolts for receiving eyelet cable connectors.

<b>1-14649</b>	(Mfg# 20188)	\$28.95
----------------	--------------	---------



## Side Post Battery Disconnect



Mounts on negative side battery terminal. Provides 3/8-18 bolt for receiving standard eyelet cable connector.

<b>1-13249</b>	(Mfg# 20128)	\$28.95
----------------	--------------	---------



## Top Post Battery Disconnect



Recommended to mount on negative battery post. With 5/8" diameter post for receiving standard battery cable clamp.

<b>1-13250</b>	(Mfg# 20138)	\$28.95
----------------	--------------	---------




## Top Post Battery Disconnect



Low Vertical Operation with Wing Nut Switches recommended to mount on negative battery post to disconnect ground and battery. Easy to reach and operate. With 5/8" diameter post, plus 5/16-18 stud and wing nut for extra connections.

<b>1-17867</b>	(Mfg# 20148)	\$30.95
----------------	--------------	---------



## Standard Top Mount Bolt



Replaces nut on cable connector bolt. Keeps ring terminals from corrosion at battery terminal.

<b>1-17870</b>	(Mfg# 30600)	\$4.95
----------------	--------------	--------



## Battery Doc® 6/12 Volt 900 mA Fully Automatic Battery Charger/Maintainer



\* Fully charges battery automatically then switches to trickle mode when full-charge is reached.

\* 2 stage with pulse mode technology.

\* Prevents over-charging your battery.

\* Reverse hook-up protection.

\* Includes quick connect ring terminals and alligator clips.

\* 3 LED displays indicate charge status at a glance.

\* Suitable for safe charging and maintenance of 12 volt, wet-cell, lead-acid, fully sealed lead-acid and gel-cell batteries, plus AGM and deep cycle.

\* UL and cUL listed.

\* 12 foot output cable lead.

<b>1-17885</b>	(Mfg# 20025)	\$38.19
----------------	--------------	---------

# Electrical & Lighting



## Contour Battery Master Switch



The patented contour lock system, allows the switches to be used as stand alone units, or locked together with other switches. Features a control knob which cannot be removed while in the ON or OFF position, but it can be removed by switching to an anti-clockwise 45° position. Removable side plates on 4 sides for access of up to 1/0 cables plus a rear cover insulating the rear terminals against any short circuits.

### Specifications:

- Continuous Rating: 275 Amps DC
- Intermittent Rating: 455 Amps DC
- Cranking Rating: 1250 Amps DC
- Voltage Rating: 48 Volts DC
- Operation: On / Off • Ignition Protected
- Recessed or Surface Mount
- Termination Stud Size: 3/8" (2 x 10mm)
- Dimensions: 2.75 x 2.75 x 3" H (69 x 69 x 75mm H)
- Tin plated copper studs and nuts

**1-16576** (Mfg# 701HBRV) House \$25.50  
**1-16577** (Mfg# 701CHRV) Chassis \$25.50



## Contour Heavy Duty Master Switch



Rated at 600 Amps continuous and 2500 Amps cranking, it is well suited for higher power loads. Includes removable side plates and back plate.

### Specifications:

- Continuous Rating: 600A DC
- Intermittent Rating: 800A DC
- Cranking Rating: 2500A DC
- Voltage Rating: 48V DC
- Operation: On / Off • Ignition Protected
- Recessed or Surface Mount
- Termination Stud Size: 1/2" (2 x 12mm)
- Dimensions: 1 x 2.75 x 3" H (102 x 102 x 90mm H)
- Tin plated copper studs and nuts

**1-16575** (Mfg# 720RV) \$76.89



## Easyfit Battery Switch



Easily removable threaded ring allowing for panel thicknesses up to 3/4" (19mm). This durable switch is designed with a removable key 45° past the off position, labeled handle and a removable back cover covering exposed terminals. Can also be surface mounted offering a unique style compared to other switches available on the market. Can easily be retrofitted in place of most European post and lever type switches.

### Specifications:

- Continuous Rating: 275 Amps DC
- Intermittent Rating: 455 Amps DC
- Cranking Rating: 1250 Amps DC
- Voltage Rating: 48 Volts DC
- Operation: On/Off • Ignition protected
- Mounting: Recessed or Surface
- Termination Stud Size: 3/8" (2 x 10mm)
- Tin plated copper studs and nuts

**1-16578** (Mfg# 700RV) \$27.09



## Automatic Battery Disconnect



Provides a constant charged current to the battery during towing, charging the battery up to full capacity. A positive current source for break away systems or other accessories which must be connected to the battery.

**RM765** \$176.90



## Battery Switch 3-Terminal



Cadmium plated isolator with terminal nuts and lock washers. Isolates starting battery, provides secondary battery current for auxiliary power and full time charging of both batteries. For metal frame grounded systems.

**7000** \$24.77



## Battery Relay



100 Amp, 12 Volt

**1-17465** (Mfg# 01-00055-000) \$44.95



## Water Pump Controller



"The one wire solution". Bring simplification and increased function to the complicated wiring structure of RV's and boats.

**1-17464** (Mfg# 00-00145-100) \$29.95



## Accu-Slide Expandable Room System Replacement Parts



**Standard 12V Replacement Motor**  
**1-22307** (Mfg# 22307) \$209.79

**Cable Repair Kit**  
**1-22305** (Mfg# 22305) \$26.34



## 12V Receptacles



Complete with adapter ring, ground wire, terminal lug and chrome plated wall plate.

**1-03200** (Mfg# 08-5010) 2 3/4" x 4 1/2" \$5.93  
**1-03201** (Mfg# 08-5015) 1 5/8" x 2 5/8" \$4.98



### Decor Square Speed Receptacle



**1-13135** (Mfg# SSCR-10) White \$5.45



### GFCI Outlet Cover



- Weatherproof any GFCI style outlet
- Also used to cover 5th wheel landing gear operator switches
- Includes a weatherproofing gasket

**1-18315** (Mfg# 47515) Pol White \$11.25



### Weatherproof Outlet Cover



**1-13134** (Mfg# 3780SC) Grey \$7.58



### Touch Switch



**7-1180** (Mfg# S841) White \$10.99



### Weatherproof Outlet Cover



White

**7-0998** (Mfg# E365) White \$7.99



### Weatherproof Cover for GFI Outlet



White

**7-1163** (Mfg# E465) \$10.99



### Switch Box



**7-1183** (Mfg# S891) \$6.99



### Speed Box Decor Switch With Cover



**1-13133** (Mfg# 52595) White \$7.43



### Speed Box Decor Receptacle With Cover



**1-13124** (Mfg# WDR15WT) Recpt-White \$6.95

**1-13123** (Mfg# WDR15IV) Recpt.Ivory \$6.95

**1-13132** (Mfg# WDR15BR) Recpt.Brown \$6.99

**1-13126** (Mfg# 52494) Wall Plate, White \$.69

**1-13136** (Mfg# 52495) Wall Plate, Ivory \$.79



### GFI Receptacle with Light



**1-13137** (Mfg# VGF15V) Ivory \$18.81



### Dual Outlet w/Cover-Plate



**7-1181** (Mfg# S831) White \$9.99



### Contemporary Cover-Plate



**7-1182** (Mfg# S849) White \$2.99

# Electrical & Lighting



## Decora Touch Switch



15amp quickwire push-in and side wired. Residential Grade. 120V UL. CSA approved. White Dimensions: 1.30" x 2.80"

**1-13127** (Mfg# SSCS-10) Switch \$6.69  
**1-13126** (Mfg# 52494) Cover \$.69



## Speed Box Toggle Switch With Cover



**1-13125** (Mfg# WDS15WT) White \$7.29



## Switch, Push-Pull



6-28 Volts-75 Amp D.C. 2 Position S.P.S.T. Off-On Die-Cast Body, Chrome Plated Knob, Copper Terminals, Mounting stem 5/8" long, 15/32" diameter.

**1-15400** (Mfg# 35-306P) \$12.40



## 12 Volt Rocker Switch



Switch mounted on a 1 5/8" x 2 5/8" chrome plate. Great for remote switching of lights, water pumps, etc.


**1-11140** (Mfg# 11-0190) \$3.55



## Illuminated On/Off Switches



SPST Switch is brightly illuminated indicating On position. 16 AMP @ 125 VAC, 12 AMP @ 250 VAC, 3/4 HP, 10 AMP @ 14 VDC. UL/CSA/VDE approved.



Cutout: 1.125" x .550"  
Switch: 1.120" x .547"

### Red Switch, White Housing

**6-2116** (Mfg# 12501-5) 12V, Bulk \$4.87  
**6-2216** (Mfg# 12505) 12V, Pkg. \$5.75

### Red Switch, Black Housing

**6-2117** (Mfg# 12511-5) 120V, Bulk \$4.87  
**6-2217** (Mfg# 12515) 120V, Pkg. \$5.75

**6-2118** (Mfg# 12521-5) 12V, Bulk \$4.87  
**6-2218** (Mfg# 12525) 12V, Pkg. \$5.75

### Red Switch, Brown Housing

**6-2119** (Mfg# 12531-5) 12V, Bulk \$4.87  
**6-2219** (Mfg# 12535) 12V, Pkg. \$5.75

### Red Switch, Ivory Housing

**6-2152** (Mfg# 12561-5) 12V, Bulk \$4.87  
**6-2252** (Mfg# 12565) 12V, Pkg. \$5.75

### Amber Switch, Brown Housing

**6-2133** (Mfg# 12541-5) 12V, Bulk \$4.87  
**6-2233** (Mfg# 12545) 12V, Pkg. \$5.75

### Amber Switch, Black Housing

**6-2120** (Mfg# 12551-5) 12V, Bulk \$4.87  
**6-2220** (Mfg# 12555) 12V, Pkg. \$5.75

### Amber Switch, Ivory Housing


**6-2171** (Mfg# 12571-5) 12V, Bulk \$4.87  
**6-2271** (Mfg# 12575) 12V, Pkg. \$5.75

### Green Switch, Black Housing

**2-2288** (Mfg# 13691-5) Bulk \$5.11



## 12V Indicator Light



Cutout: 1.125" x .550"  
Switch: 1.120" x .547"

For use with a standard switch. 12V. Illuminated when switch is in the "on" position.

**2-2239** (Mfg# 13301-5) Brown/Amber, Bulk \$4.25

**2-2240** (Mfg# 13311-5) Green/Black, Bulk \$4.25

**2-2140** (Mfg# 13315) Green/Black, 1/Pk \$5.04



## 120V SPST Mini-Illuminated Switch




Commonly used in appliance and monitor panels. They become illuminated when in the "on" position. Green/Black, Bulk.

**2-2241** (Mfg# 13321-5) \$5.10



## Momentary Switches With Indicator Light



Cutout: 1.06" x .866"  
Switch: 1.185" x 1.025"

These SPST Off/Momentary-On switches are used for 12 Volt lighting, steps and various accessory applications where the current is not constant. The indicator light is illuminated when the power circuit is in the open position. They are UL/CSA certified and can be used in multiple voltage situations.  
**Cut out dimensions:** 1.06" T X .866" W  
**Overall dimensions:** 1.185" T X 1.025" W + or - 0.10" Bulk

**2-2245** (Mfg# 13361-5) Amber Light \$7.55


**2-2145** (Mfg# 13365) Amber, 1/Pk \$8.64

**2-2246** (Mfg# 13371-5) Green Light \$7.55

**2-2247** (Mfg# 13381-5) Red Light \$7.55



## Mini-Illuminated Switches



On/Off Mini-Switches are brightly illuminated indicating the On position. 16 AMP @ 125 VAC, 16 AMP @ 250 VAC, 3/4 @ 125-250 VAC, 10 AMP @ 14 V(T), 3A 125(L). UL/CSA/VDE approved.

### Red Switch, Black Housing

**6-2121** (Mfg# 12761-5) Bulk \$5.12

**6-2221** (Mfg# 12765) 1/Pkg. \$5.99

### Green Switch, Black Housing

**6-2122** (Mfg# 12771-5) Bulk \$5.12

**6-2222** (Mfg# 12775) 1/Pkg. \$5.99

### Blue Switch, Black Housing

**2-2289** (Mfg# 13711-5) Bulk \$5.38



## Labeled On/Off Switches



Commonly used for interior lighting and appliance uses. Switches are Pre-Printed with On/Off label. SPST, 16 AMP @125 VAC, 12 AMP @ 250 VAC 3/4HP 10 AMP @ 14VDC. 12V. UL/CSA/VDE approved.

**Cut Out Dimensions:** 1.125" x .550"

**Switch Dimensions:** 1.120" x .547"

**6-2106** (Mfg# 12581-5) White, bulk \$2.10

**6-2206** (Mfg# 12585) White, Pkg. \$2.79

**6-2108** (Mfg# 12591-5) Black, Bulk \$2.10

**6-2208** (Mfg# 12595) Black, Pkg. \$2.79

**6-2109** (Mfg# 12601-5) Brown, Bulk \$2.10


**6-2209** (Mfg# 12605) Brown, Pkg. \$2.79

**6-2153** (Mfg# 12611-5) Ivory, Bulk \$2.10

**6-2253** (Mfg# 12615) Ivory, Pkg. \$2.79



## SPDT On/Off/On Switch



This standard switch is commonly used for interior lighting and appliances. White, Bulk.

**2-2252** (Mfg# 13431-5) \$2.68



## SPDT On/On Switch



Two way operation switch used to activate an operation from two locations. 16AMP@125/250 VAC, 3/4HP 125/250 VAC, 10AMP@14VDC (T). 3 AMP@125V (L). UL/CSA/VDE Approved.


**Cut Out Dimensions:** .67" x .50"

**Switch Dimensions:** 1.285 x .83"

**2-2280** (Mfg# 13075) White \$4.10  
**2-2281** (Mfg# 13085) Brown \$4.10  
**2-2282** (Mfg# 13095) Black \$4.10



## SPST On/Off Switch



These great replacement switches will work for either replacements for existing assemblies or you can create your own assembly to fit your specific need. Can be used in applications such as: water heater activation, electric steps, lighting fixtures, or just about anything else that needs a power switch.

### On/Off Rocker Switch

**1-02090** (Mfg# 12035) White, Pkg. \$4.10

**1-02234** (Mfg# 12031-5) White, Bulk \$4.28

**1-02100** (Mfg# 12165) Brown, Pkg. \$4.10

**1-02237** (Mfg# 12161-5) Brown, Bulk \$4.28

**1-02106** (Mfg# 12255) Black, Pkg. \$4.10


**1-02238** (Mfg# 12251-5) Black, Bulk \$4.28

**1-02091** (Mfg# 12045) Lighted, Red, Pkg. \$7.99

**1-02235** (Mfg# 12041-5) Lighted, Red, Bulk \$5.54



## SPST On/Off Switches



These SPST on/off switches are often used for 12 Volt lighting, steps and various accessory applications. They can be used in multiple voltage situations.

**Cut out dimensions:** 1.06" T X .866" W

**Overall dimensions:** 1.185" T X 1.025" W + or - .10" White.


**2-2244** (Mfg# 13351-5) Bulk \$3.84

# Electrical & Lighting



## Momentary-On/Off/ Momentary-On Switch

Wiring Diagram

Cutout: .67" x .50"  
Switch: 1.285" x .830"


- Ratings: SPDT, 8 Amp @ 125 VAC, 1/2 H.P. @ 125-250 VAC
- UL/CSA approved Momentary Rocker Switch

<b>1-02092</b>	(Mfg# 12055) White, Pkg.	\$5.39
<b>1-02101</b>	(Mfg# 12175) Brown, Pkg.	\$5.39
<b>1-02107</b>	(Mfg# 12265) Black, Pkg.	\$5.39



## Mom-On/Off/Mom-On Switches

Wiring Diagram



SPDT 13 AMP @ 125 VAC, 10 AMP @ 250 VAC, 1/2 HP, 5 AMP @ 14 VDC, UL/CSA/VDE approved.

**Cut Out Dimensions:** 1.125" x .550"  
**Switch Dimensions:** 1.120" x .547"

<b>6-2107</b>	(Mfg# 12671-5) Black, Bulk	\$4.87
<b>6-2207</b>	(Mfg# 12675) Black, 1/Pkg.	\$5.75
<b>6-2156</b>	(Mfg# 12681-5) Ivory, Bulk	\$4.87
<b>6-2256</b>	(Mfg# 12685) Ivory, 1/Pkg.	\$5.75
<b>6-2157</b>	(Mfg# 12691-5) White, Bulk	\$4.87
<b>6-2257</b>	(Mfg# 12695) White, 1/Pkg.	\$5.75



## On/Off Switch



Wiring Diagram



Cutout: 1.125" x .550"

Switch: 1.120" x .547"

- Ratings: SPST, 16 Amp @ 125 VAC, 12 Amp @ 250 VAC, 3/4 H.P. @ 125-250 VAC, 10 Amp @ 14VDC
- UL/CSA/VDE/RoHS approved
- 1/Pk

<b>2-2148</b>	(Mfg# 13395) White	\$2.93
<b>2-2149</b>	(Mfg# 13405) Black	\$2.93
<b>2-2150</b>	(Mfg# 13415) Ivory	\$2.93
<b>2-2151</b>	(Mfg# 13425) Brown	\$2.93



## On/Off/On Switch

Wiring Diagram


Cutout: 1.125" x .550"  
Switch: 1.120" x .547"

- Ratings: SPDT, 16 Amp @ 125 VAC, 12 Amp @ 250 VAC, 3/4 H.P. @ 125-250 VAC, 5 Amp @ 14 VDC
- UL/CSA/RoHS approved

<b>2-2152</b>	(Mfg# 13435) White, 1/Pk	\$3.27
---------------	--------------------------	--------



## Red LED Indicator Light

Cutout: .687" x .50"  
Switch: .812" x .625"


- Used with red snap in cover (Part No. 13125)

- Ratings: 16 Amp @ 125 VAC, 3/4 HP, 10 Amp @ 250 VAC 1/2 H.P., 10 Amp @ 12VDC
- UL/CSA/VDE approved

<b>1-02243</b>	(Mfg# 13115) Pkg	\$6.19
<b>1-02242</b>	(Mfg# 13111-5) Bulk	\$5.52



## Mini On/Off Switch

Cutout: .756" x .508"  
Switch: .745" x .500"

- Ratings: SPST, 16 Amp @ 125 VAC, 16 Amp @ 250 VAC, 3/4 H.P. @ 125-250VAC, 10 Amp @ 14 VDC
- UL/CSA/VDE approved
- White

<b>2-2285</b>	(Mfg# 13641-5) Bulk	\$3.60
<b>2-2286</b>	(Mfg# 13645) 1/Pk	\$4.35



## Snap-In Blank Switch Covers



- Used when a switch is not needed in a multi-switch face plate
- 13125 is used with Part No. 13115, Indicator Light

<b>1-02245</b>	(Mfg# 13145) Brown, 1/pk	\$3.38
<b>1-02244</b>	(Mfg# 13121-5) Red, Bulk	\$2.05



## Mini On/Off/On Switches




SPDT



Cutout: .756" x .508"

Switch: .745" x .500"

DPDT



Cutout: .756" x .508"

Switch: .745" x .500"

These switches are most often used in monitor panels and other applications where a single power supply operates two different options. Mini On/Off/On Black.

<b>2-2242</b>	(Mfg# 13331-5) SPDT, Bulk	\$2.80
<b>2-2142</b>	(Mfg# 13335) SPDT, 1/Pk	\$3.51
<b>2-2243</b>	(Mfg# 13341-5) DPDT, Bulk	\$4.12
<b>2-2143</b>	(Mfg# 13345) DPDT, 1/Pk	\$4.95


- Used for covering your switch to protect it from water or dust
- Slips easily over switch then placed in face plate or monitor panel
- Bulk

<b>2-2290</b>	(Mfg# 13741-5) Mini	\$ .93
<b>2-2291</b>	(Mfg# 13751-5) Standard	\$ .93





## Modular SPST On/Off Switches




These modular switch assemblies are much larger than the standard switch units which make them much easier to operate. These can be used in any application that uses an ON/Off or On/On application and use a standard 12V switch under their large paddles. Packaged.

<b>2-2266</b> (Mfg# 13575) Single	\$6.85
<b>2-2267</b> (Mfg# 13585) Double	\$10.69
<b>2-2268</b> (Mfg# 13595) Triple	\$14.95



## DPDT On/On Switch




Primarily used for choosing speaker locations. 16AMP@125/250 VAC, 3/4HP 125/250 VAC, 10AMP@14VDC (T). 3 AMP@125V (L). UL/CSA/VDE Approved.

**Cutout Dimensions:** .67" x .50"  
**Switch Dimensions:** 1.285" x .83"

<b>2-2277</b> (Mfg# 13035) White	\$8.29
<b>2-2278</b> (Mfg# 13045) Brown	\$8.29
<b>2-2279</b> (Mfg# 13055) Black	\$8.29



## DPDT On/Off/On Momentary Switch



# Electrical & Lighting



## 5th Wheel/Tongue Jack Switch



Wiring Diagram  
 Load Positive | | Load Ground  
 Cutout: 1.736" x .95"  
 Switch: 1.30" x .75"

- Mom-On/Off/Mom-On
- Ratings: 16 Amp @ 125 VAC(CSA), 15 Amp @ 125 VAC(UL), 10 Amp @ 250 VAC, 3/4 H.P. @ 250 VAC, 16 Amp @ 12 VDC
- UL/CSA/CUL/IP55 RoHS approved
- Black

**2-2284** (Mfg# 13635) Pkg. \$10.13  
**2-2283** (Mfg# 13631-5) Bulk \$7.75



## On-Off Rocker Switch Assembly with Bezel



Wiring Diagram  
 Positive (+) To Load  
 Blank

12V wall mount light switches are designed for interior aesthetics and functionality. They are built with one of the lowest profiles available today while maintaining a shallow mounting depth. The new, larger switch panel provides easier use with a rounded contour for comfort. The switches and housing are constructed of durable nylon for a long life and the terminals are made of copper alloy and/or silver plated copper alloy. 16Amp @ 125-250 VAC, 3/4 HP, 10Amp @ 14 VDC. UL/CSA/VDE approved.

### Single Cut Out Dimensions:

1.25" x 1.625"

### Double Cut Out Dimensions:

2.437" x 1.625"

### Triple Cut Out Dimensions:

3.625" x 1.625"

### Quadruple Cut Out Dimensions:

4.875" x 1.625"

#### Single Switch - Packaged

**1-02080** (Mfg# 12005) White \$9.59  
**1-02083** (Mfg# 12135) Brown \$9.59  
**1-02086** (Mfg# 12225) Black \$9.59

#### Double Switch - Packaged

**1-02081** (Mfg# 12015) White \$10.40  
**1-02084** (Mfg# 12145) Brown \$10.40  
**1-02087** (Mfg# 12235) Black \$10.40

#### Triple Switch - Packaged


**1-02082** (Mfg# 12025) White \$14.95  
**1-02085** (Mfg# 12155) Brown \$14.95  
**1-02088** (Mfg# 12245) Black \$14.95

#### Quadruple Switch - Bulk

**1-02113** (Mfg# 12331) White \$17.09



## Dimmer/On-Off Rocker Switch Assembly with Bezel



With a maximum rating of 15Amp 12VDC. Built for years of reliability. The electrodes are designed to function in extreme temperature variations and are protected against voltage spikes. Combine these features with those found in our standard interior light assemblies and you have the best possible combination for any application.

**Cut Out Dimensions:** 2.25" x 1.75"

**1-02093** (Mfg# 12065) White, Pkg. \$70.55  
**1-02102** (Mfg# 12185) Brown, Pkg. \$72.59  
**1-02108** (Mfg# 12275) Black, Pkg. \$72.59



## Slide-Out Switch Assembly with Bezel



12V 40 Amp high output slide-out switches are both durable and attractive. The pre-printed low profile bezel fits into any decor while the large rocker switches are easy to operate. The switches and housings are constructed of durable nylon for a long life and the terminals are made of copper alloy and/or silver plated copper alloy. Comes with an easy to read wiring diagram.

**Single Cut Out Dimensions:** 1.67" x .95"  
**Double Cut Out Dimensions:** 2.82" x 3"

#### Single Switch

**1-02094** (Mfg# 12075) White, Pkg. \$18.35  
**1-02122** (Mfg# 12285) Black, Pkg. \$18.35

#### Double Switch

**1-02095** (Mfg# 12085) White, Pkg. \$31.85



## 2-Row Slide-Out Switch Wiring Harness



- Used for our slide-out switches: 12095, 12295, 12075, 12285 & 12085
- Ratings: 40 Amp @ 12 VDC
- Used to rewire 5-pin straight row switches

**1-02241** (Mfg# 13061) \$10.22



## Slide-Out Switch with Face Plate



The large switch button makes this switch easy to use while the new low-profile plate makes it fit neatly into any location. It is rated at 40 Amp @ 14 VDC peak and 20 Amp continuous use which means it can be used with reversing or switching motors used on most slide-outs. RoHS certified

**Cut Out Dimensions:** 1.67" x .95  
**Outside Dimensions:** 2.87" x 1.87"

**1-02114** (Mfg# 12345) White, Pkg. \$19.00  
**1-02115** (Mfg# 12355) Black, Pkg. \$19.00



## Replacement Slide-Out High Current Motor Switch



Wiring Diagram  
 Ground |  
 Motor (+) --- (+) Motor  
 Power (+) --- Ground  
 Cutout: 1.85" x 1.2"

12V 40Amp high output replacement Slide-Out High current motor switch is both durable and attractive. The large rocker switch is easy to operate. Each switch comes with an easy to read wiring diagram.

**Switch Dimensions:** 1.75" x 1.11"

**1-02096** (Mfg# 12095) White, 1/Pkg. \$14.79  
**1-02236** (Mfg# 12091-5) White, Bulk \$11.12  
**1-02109** (Mfg# 12295) Black, 1/Pkg. \$14.79  
**1-02239** (Mfg# 12291-5) Black, Bulk \$11.12



## Switch Base and Bezel Assembly



These base and bezel sets can be used with any of our 1.120" x 0.547" switches to create an assortment of assemblies or to simply replace damaged or discolored units found in your current applications. Made of durable polypropylene, they will withstand most heat and cold situations and are easy to keep clean. White, Packaged.

<b>2-2269</b>	(Mfg# 13605) Single	\$3.89
<b>2-2270</b>	(Mfg# 13615) Double	\$4.15
<b>2-2271</b>	(Mfg# 13625) Triple	\$4.25



## Base and Switch Plate Assemblies



These base and face plates will work for either replacements for existing assemblies or you can create your own assembly to fit your specific need. Can be used in applications such as: water heater activation, electric steps, lighting fixtures, or just about anything else that needs a power switch.

Single Cut Out Dimensions: 1.25" x 1.625"  
Double Cut Out Dimensions: 2.437" x 1.625"  
Triple Cut Out Dimensions: 3.625" x 1.625"

<b>Single</b>		
<b>1-02097</b>	(Mfg# 12105) White, Pkg.	\$4.10
<b>1-02103</b>	(Mfg# 12195) Brown, Pkg.	\$4.10
<b>1-02110</b>	(Mfg# 12305) Black, Pkg.	\$4.10

<b>Double</b>		
<b>1-02098</b>	(Mfg# 12115) White, Pkg.	\$4.55
<b>1-02104</b>	(Mfg# 12205) Brown, Pkg.	\$4.55
<b>1-02111</b>	(Mfg# 12315) Black, Pkg.	\$4.55

<b>Triple</b>		
<b>1-02099</b>	(Mfg# 12125) White, Pkg.	\$5.25
<b>1-02105</b>	(Mfg# 12215) Brown, Pkg.	\$5.25
<b>1-02112</b>	(Mfg# 12325) Black, Pkg.	\$5.25



## Switch Spacer Plates

3/8"" deep switch spacers used for thin wall application, giving more space for the wire connections. These spacers are used with Face Plate JR Products #'s 12841-5 through 13475. Packaged



### Single Plate

**Outside Dimensions:** 3 1/2" H x 2 3/8" W

<b>2-2257</b>	(Mfg# 13485) White	\$2.65
<b>2-2258</b>	(Mfg# 13495) Black	\$2.65
<b>2-2259</b>	(Mfg# 13505) Brown	\$2.65



### Double Plate

**Outside Dimensions:** 3 1/2" H x 3" W

<b>2-2260</b>	(Mfg# 13515) White	\$3.19
<b>2-2261</b>	(Mfg# 13525) Black	\$3.19
<b>2-2262</b>	(Mfg# 13535) Brown	\$3.19



### Triple Plate

**Outside Dimensions:** 3 1/2" H x 4" W

<b>2-2263</b>	(Mfg# 13545) White	\$3.59
<b>2-2264</b>	(Mfg# 13555) Black	\$3.59
<b>2-2265</b>	(Mfg# 13565) Brown	\$3.59



## Face Plate Insert



Used for covering a blank hole in your switch plates or brackets for standard switches.

**Cut Out Dimensions:** 1.125" x .550"

**Switch Dimensions:** 1.120" x .547"

<b>6-2165</b>	(Mfg# 12941-5) Black, Bulk	\$1.06
<b>6-2265</b>	(Mfg# 12945) Black, Pkg.	\$1.75



## Triple Face Plates



Use in conjunction with our Standard Switches for installation or replacement. Pkg.

<b>2-2254</b>	(Mfg# 13455) White	\$3.09
<b>2-2255</b>	(Mfg# 13465) Brown	\$3.09
<b>2-2256</b>	(Mfg# 13475) Black	\$3.09



## Mounting Plates



Used in conjunction with our standard switches for installation or replacement.

### Single Face Plate

<b>6-2123</b>	(Mfg# 12841-5) White, Bulk	\$1.72
<b>6-2223</b>	(Mfg# 12845) White, Pkg.	\$2.30
<b>6-2124</b>	(Mfg# 12851-5) Black, Bulk	\$1.72
<b>6-2224</b>	(Mfg# 12855) Black, Pkg.	\$2.39
<b>6-2125</b>	(Mfg# 12861-5) Brown, Bulk	\$1.72
<b>6-2225</b>	(Mfg# 12865) Brown, Pkg.	\$2.39

### Double Face Plate

<b>6-2160</b>	(Mfg# 12871-5) White, Bulk	\$1.84
<b>6-2260</b>	(Mfg# 12875) White, Pkg.	\$2.59
<b>6-2161</b>	(Mfg# 12881-5) Black, Bulk	\$1.84
<b>6-2261</b>	(Mfg# 12885) Black, Pkg.	\$2.59
<b>6-2162</b>	(Mfg# 12891-5) Brown, Bulk	\$1.84
<b>6-2262</b>	(Mfg# 12895) Brown, Pkg.	\$2.59
<b>6-2163</b>	(Mfg# 12901-5) Ivory, Bulk	\$1.84
<b>6-2263</b>	(Mfg# 12905) Ivory, Pkg.	\$2.59



## Replacement Switch Kit



<b>6-2070</b>	(Mfg# 12SK1)	\$299.95
---------------	--------------	----------

  
Progressive Dynamics Inc.

The Source of Bright Ideas Since 1964.

# ENJOY CAMPING, NOT REPAIR SHOPS.

The really intelligent way to manage power to your RV!



Intel-Power Series Converters and Power Centers from Progressive Dynamics have our exclusive Charge Wizard® technology. It constantly monitors voltage status and manages your RV battery and extends the life.

Standard features on Intel-Power Converter and Power Centers:

- Reverse battery protection – prevents damage from improper battery lead connection.
- Filtered DC power delivery – provides safe and reliable service.
- Electronic current limiting – automatically reduces output voltage when maximum capacity is reached.
- Low line voltage protection – protects appliance from damaging low voltage irregularities.
- Our Intel-Power Series™ models – Can recharge your RV battery to 90% efficiency in just a couple of hours using Charge Wizard® technology.
- Variable speed intelligent cooling fan – automatically monitors unit temperature and activates fan at required speed.
- Hi voltage protection – protects unit from spikes or surges of voltage over 135 VOLTS.
- Automatic thermal shutdown – activates when unit temperature exceeds 150°F and protects unit from damage due to excessive heat.

Progressive Dynamics Inc.

**INTELI-POWER 9100®  
SERIES**



9100 Series Inteli-Power™ Converters provide safe, reliable, filtered DC power to all 12-VOLT lighting and appliance circuits. The built in Total Charge Management System (TCMS) allows for easy addition of the optional Charge Wizard®, a microprocessor-controller that constantly monitors the RV battery status and automatically selects one of four charging modes: **Boost Mode** - (14.4) to quickly bring the battery to 90% of full charge, **Normal Mode** - (13.6) safely completes the charge, Storage Mode - (13.2), automatically activates after 30 hours of non-use or **Desulfation Mode** - (14.4), for 15 minutes every 21 hours to prevent battery stratification and sulfation (the leading cause of battery failure).



1-12043	PD9130V, 30A	\$191.00
1-11727	PD9140AV, 40A	\$202.00
1-12438	PD9145AV, 45A	\$213.00
1-11728	PD9160AV, 60A	\$255.00
1-12045	PD9180AV, 80A	\$334.00



Plug-in a TCMS Charge Wizard®. The intelligent way to automatically charge batteries! Progressive Dynamics' Charge Wizard® is a powerful microprocessor that turns your Intel-Power 9100 Converter into an intelligent and completely automatic 12-VOLT charging system.

1-11726 PD9105V \$33.00

**BUY QUALITY. BUY USA MADE CONVERTERS.**

**Progressive Dynamics Inc.**  
The Source of Bright Ideas Since 1946

## INTELI-POWER 9200<sup>®</sup> SERIES



Inteli-Power 9200™ Series Converters with BUILT-IN Charge Wizard® will recharge your RV's battery to 90% in 2-3 hours. Many converters only have one charging mode, 13.6 VOLTS, which can result in battery boil-off. The 9200 Series converters have FOUR charging modes: BOOST (14.4 VOLTS), NORMAL (13.6 VOLTS), STORAGE (13.2 Volts) and DESULFATION (13.2 VOLTS with a 15 minute 14.4-VOLT burst every 21 hours).



- |                |               |          |
|----------------|---------------|----------|
| <b>1-12439</b> | PD9245CV, 45A | \$233.00 |
| <b>1-12440</b> | PD9260CV, 60A | \$276.00 |
| <b>1-12441</b> | PD9270V, 70A  | \$291.00 |
| <b>1-12442</b> | PD9280V, 80A  | \$353.00 |



Retail Model Pendant plugs into the accessory port to show charger/ converter status and allows for manual mode selection. The Pendant is included with all retail models.  
PD92201

## AUTO TRANSFER RELAY SYSTEMS

Automatically senses generator power and prevents shoreline and generator power entering the AC distribution panel at the same time and ruining your camping. Heavy duty relays prevent contact damage during high current transfer operation. Time delay circuit board ensure generator voltage is at the proper level before transfer occurs.



- |                |                          |          |
|----------------|--------------------------|----------|
| <b>1-12454</b> | PD52, 50A, 240V AC       | \$186.00 |
| <b>1-12455</b> | PD5110010V, 30A, 120V AC | \$79.50  |

## INTELI-POWER 4600<sup>®</sup> SERIES



- |                |              |          |
|----------------|--------------|----------|
| <b>1-12447</b> | PD4635V, 35A | \$243.00 |
| <b>1-12448</b> | PD4645V, 45A | \$260.00 |
| <b>1-12449</b> | PD4655V, 55A | \$289.00 |

Inteli-Power 4600™ Series Lower Section Replacement/Upgrade Converters for RV power systems are as close as you can get to a "universal" replacement. The 4600 Series Converters can be used to replace the lower section converters in Magnatec, Parallax and WFCO.® power centers. They are MADE IN AMERICA and have the same impressive quality, performance, reliability and multi-patented features, including the incredible CHARGE WIZARD® built-in. The Inteli-Power 4600™ Series Converters are WHAT YOU NEED FOR RELIABLE 12 VOLT POWER!



## INTELI-POWER 4000<sup>®</sup> SERIES



- |                |               |          |
|----------------|---------------|----------|
| <b>1-12456</b> | PD4045KV, 45A | \$231.00 |
|----------------|---------------|----------|

The PD4000 Series "Mighty Mini", is a compact All-In-One AC/DC Distribution Panel and Inteli-Power Converter with built-in Charge Wizard.® Compact & lightweight, the PD4000, has front access to a large wiring compartment. The Snap Lock cover stays shut while traveling yet opens with a touch. The AC Distribution Panel is rated for 120 VAC at 30 AMPS. The DC section has up to 12 branch fuse holders. The "Mighty Mini" is available in a 45 AMP & 60 AMP model.



## SPECIAL ORDER

## INTELI-POWER 4500<sup>®</sup> SERIES



The PD4500 is the Ultimate All-In-One AC/DC Distribution Panel and Inteli-Power Converter/ Charger. The AC Distribution Panel is rated for 240 VAC @ 50 AMPS. The DC section has up to 18 branch fuse holders. Available with either a 60 or 90 AMP Inteli-Power Converter, it's the largest converter/ charger available in the industry. The patented built-in Charge Wizard® reduces RV battery recharge time and increases battery life, while reducing battery sulfation and maintenance problems. **SPECIAL ORDER**

- |                |             |          |
|----------------|-------------|----------|
| <b>1-12450</b> | PD4560, 60A | \$392.00 |
| <b>1-12451</b> | PD4590, 90A | \$512.00 |



## INTELI-POWER 4300<sup>®</sup> SERIES



The PD4300 Series AC/DC Distribution Panel has front access to a large wiring compartment and a snap lock cover that stays shut while traveling yet opens with a touch. The PD4300 is rated for 120 VAC at 30 AMPS, is available with either a 45 or 60 AMP Inteli-Power converter and features a status indicator and mode control button for the built-in Charge Wizard.® The DC panel accommodates up to 12 branch fuse holders with maximum rating of 20 AMPS each.

- |                |             |          |
|----------------|-------------|----------|
| <b>1-12458</b> | PD4345K12LV | \$347.00 |
| <b>1-12459</b> | PD4360K12LV | \$369.00 |



# Electrical & Lighting



## 7400 Series Converter/Charger



Filtered DC Power is free from electrical "spikes" and "surges" which can damage your RV's amenities. Clean Parallax power provides reliable battery charging with a whisper quiet fan.

<b>1-18186</b>	(Mfg# 7445) 45Amp	\$254.95
<b>1-18187</b>	(Mfg# 7455) 55Amp	\$283.50
<b>1-14399</b>	(Mfg# 7465) 65Amp	\$280.19



## Converter Section Upgrades



Provides ultra clean filtered DC power which serves as an upgrade for linear power centers. Filtered power is free from spikes and surges no matter how unstable the AC power source.

## Repl. Section w/Upgrade for 6300 Series

<b>1-12411</b>	(Mfg# 7355-RU) 55Amp	\$311.50
<b>1-18024</b>	(Mfg# 7345-RU) 45Amp	\$278.95

## Replacement Section for 7300 Series

<b>1-14518</b>	(Mfg# 7345R) 45Amp	\$252.00
<b>1-14517</b>	(Mfg# 7355R) 55Amp	\$270.59



## 555 Power Center



Combines power conversion, battery charging, and AC/DC distribution. 50-amp main AC circuit breaker all in one package. Filtered DC output. The power is free from spikes and surges regardless of AC power source stability. Smooth appliance operation and bright lighting. 50 Amp Main AC Breaker, Eight AC Branches, 15 DC Circuits, 55 Amp Output, Two Year Warranty. Dimensions: 12 1/8" H X 12 1/4" W X 8 5/8" D

<b>1-13050</b>	(Mfg# 555)	\$312.89
----------------	------------	----------

Lower Section Replacement		
<b>1-03051</b>	(Mfg# 555R)	\$289.79



## 7300 Series Power Center



Filtered DC Power. Quiet Operation. Extensive AC/DC Operation.  
Dimensions: 11 3/4" H X 14" W X 7" D

<b>1-13046</b>	(Mfg# 7345) 45Amp	\$299.00
<b>1-13047</b>	(Mfg# 7355) 55Amp	\$334.00



## ParaMode 5490 Converter/Charger



90 ampere converter/charger with Power Factor Correction. It uses 120VAC input current much more efficiently, producing 90 amperes of DC output current, yet draws only the AC input current previously required for a 55-65 ampere DC output unit.

<b>1-13045</b>	(Mfg# 5490)	\$382.00
----------------	-------------	----------



## Solid Power Center



Features solid construction and quality components which stand up to the rigors of RV'ing. Distribution panel meets the requirements as a CTL Class I listed enclosed panel board. Steel chassis. Ventilated steel door. Fuse clips. Filtered DC power. FCC Class B certified. 30 AC service with 55 amps on the DC side. Distribution panel accommodates a 30Amp main AC circuit breaker. Has 5 AC branch circuits and 11 DC fuse circuits.

**Dimensions:** 11-3/4" H X 14" W X 7" D

<b>1-13048</b>	(Mfg# 7155)	\$254.95
----------------	-------------	----------



## Converter Latch



<b>1-03350</b>	(Mfg# 13516372)	\$1.29
----------------	-----------------	--------



## Replacement Converter Section



55 amp direct lower section replacement for 7155 converters.

<b>1-13049</b>	(Mfg# 081-7155-000)	\$211.39
----------------	---------------------	----------



## Generator Switch



Mounts as either deck mount or directly onto the back of Parallax power centers and distribution panels. For 30Amp 120V electrical systems. **Dimensions:** 6" x 4 1/8" x 4 7/16"

<b>1-03383</b>	(Mfg# ATS301)	\$86.00
----------------	---------------	---------



## ATS 501 Generator Switch



Electrical rating: 120/240 volts AC 60 HZ @ 50 Amps. Maximum generator: 12KW. UL Type 1 16 GA Steel Enclosure. Listed for US and Canadian applications  
**Dimensions:** 3.5" H x 8.75" W x 11.75" D

<b>1-03347</b>	(Mfg# ATS501)	\$229.95
----------------	---------------	----------



## ALS 20



Allows operation of two 20Amp loads for a single 20Amp branch circuit.

<b>1-03351</b>	(Mfg# ALS20)	\$74.19
----------------	--------------	---------



## Economy Round Electric Cable Hatch



Cutout Dim: 2-27/32"  
Outside Dim: 4-1/2"  
Collar Depth: 2-3/8"

- No metal parts that will rust or corrode
- For use with a 30 Amp cord only

**1-02043** (Mfg# S-23-14-A) Col White \$4.49  
**1-02045** (Mfg# S-23-10-A) Pol White \$4.49



## Economy Square Electric Cable Hatch



Cutout Dim: 2-27/32"  
Outside Dim: 4-5/16" h x 3-7/8" w  
Collar Depth: 1-3/4"

- No metal parts that will rust or corrode
- For use with a 30 Amp cord only

**1-02041** (Mfg# S-27-10-A) Pol White \$4.95  
**1-02233** (Mfg# S-27-14-A) Col White \$5.18



## Hatch Installation Kit



Everything you need to replace an existing hatch or install a new one. New screws are included and enough of our premium butyl tape to properly seal your hatches. Packaged.

**Small Kit Includes:** 25' of butyl tape, 6 colonial white and 6 white screws.

**Large Kit Includes:** 36" of butyl tape and 10 white screws.

**Deluxe Kit Includes:** 8' of putty tape and 36 screws.

**1-02031** (Mfg# 04205) Small \$2.59  
**1-02029** (Mfg# 04195) Large \$2.89  
**1-02030** (Mfg# 04182) Deluxe \$6.49



## Round Electric Cable Hatch



Cutout Dim: 3-1/2"  
Outside Dim: 4-1/2"  
Collar Depth: 2-3/8"

- Vermin door accepts both 30A & 50A cord
- Door has a "snap-lock" feature
- Replaces any round hatch up to 4-1/2"
- Direct OEM replacement
- UV & impact resistant
- Resistant to road salts & acids
- Paintable • Colonial White

**1-02047** (Mfg# 370-1-A) Colonial White \$7.29  
**1-02052** (Mfg# 370-2-A) Polar White \$7.29



## Round Electric Cable Hatch



Cutout Dim: 3-1/2"  
Outside Dim: 5-1/8"  
Collar Depth: 2-3/8"

The outside collar is wider to cover up any pre-existing screw holes. The hinge is extra heavy duty. Built with high-quality resins that adhere to the following criteria: UV and impact resistant, chemically resistant to road salts and acids, paintable. Vermin door accepts a 30 or 50 Amp cord. Replaces any round hatch up to 4-1/2". Packaged.

**1-02051** (Mfg# 541-2-A) Polar White \$7.29  
**1-02225** (Mfg# 541-3-A) Black \$9.13



## Small Electric Cable Hatch



Constructed for long lasting use. Resists road salts and acids and will not fade or discolor. Paintable to match any RV with no preparation.

It has an open back for a variety of uses and a shallow collar for thin wall mounting. Vermin door accepts a 30 or 50 amp cord. Key Lock.

**Cut Out Dimensions:** 4 3/4" X 4 1/4"

**Outside Dimensions:** 6 1/2" X 6"

**1-02048** (Mfg# MGE32-A) 30Amp Polar White \$21.59



## Medium Electric Cable Hatch



Low profile design. UV stabilized. Fade resistant. Impact Resistant. Dimensional stability. Key lock. Easy installation. Paintable. Vermin door will accept up to 50A cord. Resistant to road salts and road acids. Polar White.

**Cut Out Dimensions:** 4 3/4" X 5 7/8"

**Outside Dimensions:** 6 1/2" X 7 5/8"

## With Collar, Flush Mount

**1-02040** (Mfg# E7132-A) 30Amp \$33.25

## No Collar, Flush Mount

**1-02037** (Mfg# S7132-A) 30Amp \$31.09



## Large Electric Cable Hatch



Cutout Dim: 6-7/8" h x 6-3/8" w  
Outside Dim: 8-1/2" h x 8" w  
Collar Depth: 1-1/8"

Low profile design for use with RV electrical cords. Fade resistant. Resistant to chemicals. Paintable. Easy installation. Key lock. 30Amp. Polar White.

**1-02025** (Mfg# 22132-A) Key Lock \$34.69

**1-02222** (Mfg# 22D32-A) Thumb Lock \$35.22



## Utility/Pole Storage Access Hatch



Cutout Dim: 3-27/32" dia.  
Outside Dim: 5-15/16" dia.  
Collar Depth: 5/8"

- Stores awning poles or slide out brace poles
- Great access hatch to pass cords or water hoses through compartments or sidewalls
- UV & impact resistant

**1-02230** (Mfg# S-25-10-A) Pol White \$5.67

**1-02231** (Mfg# S-25-14-A) Col White \$5.67

# INVERTERS PURE SINE WAVE



PREMIUM POWER RANGING FROM 150 TO 3000 WATTS



The Go Power! pure sine wave inverters produce an exact replica of AC power. Go Power! pure sine wave inverters are the ultimate choice for equipment that demands a clean, pure source of AC power. These are guaranteed to run any devices within their wattage range.  
2 year warranty.

## GP-SW3000 & 2000

- Ideal to power everything in your RV or boat
- Hardwire Option



## GP-SW1000 & 600

- Great for 'entertainment' loads
- UL Approved



## GP-SW1500

- Most Popular Sine Wave Inverter
- UL Approved

## GP-SW300 & 150

- Ideal for small electronics
- UL Approved



ORDER NO.	PRODUCT	OUTPUT (watts)	SURGE (watts)	OUTLETS	INVERTER CABLE KIT	REMOTES	PRICE
1-12117	GP-SW150-12	150	260	2	Lighter Plug	Option for 2 wire switch	\$174.99
1-12119	GP-SW300-12	300	450	2 GFCI	Anderson Lug Terminals	Option for 2 wire switch	\$199.99
1-12121	GP-SW600-12	600	860	2 GFCI	Use GP-DC-KIT2	Option for 2 wire switch	\$397.99
1-12123	GP-SW1000-12	1000	2000	2 GFCI	Use GP-DC-KIT2	Use GP-SWR-B-12 or GP-SWR-A	\$499.99
1-12125	GP-SW1500-12	1500	2000	2 GFCI	Use GP-DC-KIT3	Use GP-SW-REMOTE	\$702.99
1-12127	GP-SW2000-12	2000	4000	2 GFCI + HW	Use GP-DC-KIT4	Use GP-SWR-B-12 or GP-SWR-A	\$1047.99
1-12129	GP-SW3000-12	3000	6000	2 GFCI + HW	Use GP-DC-KIT5	Use GP-SWR-B-12 or GP-SWR-A	\$1347.99

### Inverter Remotes

Control your inverter at the touch of a button with the ease of a remote. 1/box.



1-12139	GP-SW-REMOTE (Remote for GP-SW1500)	\$36.99
1-12189	GP-SWR-A (Remote for GP-SW1000, 2000, 3000)	\$36.99
1-12140	GP-SWR-B-12 (Remote for GP-SW1000, 2000, 3000)	\$86.99
1-12138	GP-REMOTE (Remote for GP-1750HD, 3000HD)	\$17.99

### DC Inverter Fuse Blocks & Fuses

Safeguard your equipment with ultra-durable Class-T DC rated fuses, with "slow blow" features great for inverter installations.



1-12158	FBL-110	110 amp	\$66.99
1-12159	FBL-200	200 amp	\$66.99
1-12160	FBL-300	300 amp	\$84.99
1-12161	FBL-400	400 amp	\$84.99

### Replacement Class-T Fuses

1-12162	F-110	110 amp	\$19.99
1-12163	F-200	200 amp	\$19.99
1-12164	F-300	300 amp	\$39.99
1-12165	F-400	400 amp	\$39.99

### Inverter DC Install Kits

Installation kits includes everything to connect your inverter to your batteries: 10' large gauge battery cables, tie downs, appropriate inverter fuse and mounting block. Fits most inverters.



1-12143	GP-DC-KIT2 (For 600-1000 watt inverters)	\$147.99
1-12144	GP-DC-KIT3 (For 1100-1800 watt inverters)	\$191.99
1-12145	GP-DC-KIT4 (For 2000-2500 watt inverters)	\$281.99
1-12146	GP-DC-KIT5 (For 2600-3000 watt inverters)	\$317.99

**Go Power!**™

powered by carmanah®

## INVERTERS MODIFIED SINE WAVE

POWERFUL & ECONOMICAL INVERTERS RANGING FROM 175 TO 3000 WATTS


### GP-300 & 175

- Great for use while driving to charge your smaller devices



Go Power! modified sine wave inverters provide an economical solution to your power needs. Lightweight and simple to use, Go Power! modified sine wave inverters can be used in a wide range of RV, boat and cottage applications.

1 year warranty.



### GP-1000 & 600

- Economical solution for smaller devices



### GP-1750HD

- Most popular modified sine wave inverter



### GP-3000HD

- Ideal to power everything in your RV or boat
- Hardwire Option



ORDER NO.	PRODUCT	OUTPUT (watts)	SURGE (watts)	OUTLETS	INVERTER CABLE KIT	REMOTES	PRICE
1-12131	GP-175	175	210	1	Lighter Plug	N/A	\$24.99
1-12132	GP-300	300	400	2	Lighter Plug and Clips	N/A	\$32.99
1-12133	GP-600	600	860	2	Cables Included	N/A	\$62.99
1-12134	GP-1000	1000	1300	2	Use GP-DC-KIT2	N/A	\$131.99
1-12135	GP-1750HD	1500	2100	2	Use GP-DC-KIT3	Use GP-REMOTE	\$289.99
1-12174	GP-3000HD	3000	6000	4 + HW	Use GP-DC-KIT5	Use GP-REMOTE	\$412.99

New!

### Smart Battery Chargers

Compact and powerful, Go Power! Battery Chargers offer fast, accurate charging. Designed for one bank battery systems. 2 year warranty.

1-12147	GSPC-12-10A	10 amp	\$112.99
1-12148	GPC-35-MAX	35 amp	\$186.99
1-12149	GPC-45-MAX	45 amp	\$197.99
1-12150	GPC-55-MAX	55 amp	\$226.99
1-12151	GPC-75-MAX	75 amp	\$381.99
1-12171	GPC-100-MAX	100 amp	\$419.99



### Automatic Transfer Switches

The ideal solution to preventing AC back-feed when integrating an inverter directly into the AC electrical system.

1-12155	GP-TS	prewired 30 amp	\$257.99
1-12156	TS-30	hardwire 30 amp	\$91.99
1-12157	TS-50	hardwire 50 amp	\$211.99



Go Solar



Go Green



Go RVing

Go Power!™

powered by carmanah®

**COMPLETE SOLAR SYSTEMS****SOLAR CHARGING KITS****PLUG & PLAY SOLAR AND INVERTER SYSTEMS****KEEP BATTERIES CHARGED TO 100%****SOLAR ELITE**

Great for Extended RVing!

- 250 watt (14.0 amp) solar charging kit (one GP-RV-125 and one GP-RV-125E kit)
- 25 Amp PWM Digital Regulator
- 2000 watt pure sine wave inverter
- 45 Amp smart battery charger
- Prewired 30 Amp Transfer Switch
- Inverter Install Kit
- Inverter Remote

**WEEKENDER SW**

Great for weekend RVing!

- 125 watt (7.0 amp) solar charging kit
- 25 Amp PWM Digital Regulator
- 1500 watt pure sine wave inverter
- Prewired 30 Amp transfer switch
- Inverter Install Kit
- Inverter Remote

**Solar Expansion Kits**

Enhance your existing solar system. Ready-to-install expansion kits include a solar panel, mounting hardware and cable that connects to existing panels installed on your RV or boat. Go Power! expansion kits are available in the following wattages: 125, 95, 80, and 50.

ORDER NO.	PRODUCT	AMPS	WATTS	REGULATOR (included)	PRICE
<b>1-12178</b>	SOLAR ELITE	14.0	250	GP-PWM-25	\$3331.99
<b>1-12173</b>	WEEKENDER SW	7.0	125	GP-PWM-25	\$1997.99
<b>1-12179</b>	GP-RV-125	7.0	125	GP-PWM-25	\$897.99
<b>1-12176</b>	GP-RV-95	5.5	95	GP-PWM-25	\$747.99
<b>1-12103</b>	GP-RV-80	4.6	80	GP-PWM-25	\$664.99
<b>1-12102</b>	GP-RV-50	3.1	50	GP-PWM-25	\$597.99
<b>1-12101</b>	GP-RV-20	1.3	20	SunGuard-4	\$283.99
<b>1-12100</b>	GP-RV-10	0.65	10	Not Required	\$164.99
<b>Solar Expansion Kits</b>					
<b>1-12180</b>	GP-RV-125E	7.0	125	N/A	\$777.99
<b>1-12177</b>	GP-RV-95E	5.5	95	N/A	\$627.99
<b>1-12108</b>	GP-RV-80E	4.6	80	N/A	\$552.99
<b>1-12107</b>	GP-RV-50E	3.1	50	N/A	\$539.99

**GP-RV-125  
125 watt**


- Ideal for long-term dry camping
- Go Power's largest single-panel kit

**GP-RV-95 - 95 watt**

- Ideal for RV's with limited roof space
- Most efficient solar charging kit on the market

**GP-RV-80 - 80 watt**

- Great starter kit for mid-sized RV's or boats

**GP-RV-10, 20, 50  
10, 20, 50 watt**

- Great for campers and smaller RV's
- Ideal for maintaining your RV starting battery

**Solar Regulator**

Deluxe 25-amp digital solar regulator regulates current flow from your solar panel to the batteries.

- Digital display
- Improved 4-stage charging
- Pulse Width Modulated (PWM) charging
- 3 battery charging profiles

**1-12175 GP-PWM-25**

\$146.99

**Adjustable Roof Mount**

Increase solar panel performance up to 40% over winter months!

- Adjusts from 0-75 degrees
- Tilts in two directions
- For 50, 80, 95, and 125 watt solar panels

**1-12114 ARM-UNI**

\$91.99

gpelectric.com

• sales@gpelectric.com •

1.866.247.6527



## SUNfilm SOLAR BATTERY CHARGER

**SUNfilm Battery Chargers** **New!**

### Eco-series Solar Trickle Chargers

- Output power rating of 1.5, 5, 15 watt
- Includes adaptors to charge mobile devices
- Powerful, portable and thin film technology
- Easy to use and maintenance free
- 1 year warranty

### GP-SF-1.5

- 15 watt
- Ideal for RVs, boats or vehicles with 2+ batteries
- 3 x faster charge
- Includes adaptor to charge mobile devices directly



## DURALite SOLAR BATTERY CHARGER

### GP-SF-1.5

- 1.5 watt
- Ideal for ATVs, watercraft, motorcycles, snowmobiles
- charge batteries under 50 amp hours directly through 12V car charger



### GP-SF-5

- 5 watt
- Ideal for trickle charging stationary cars, trucks, boats and RVs
- Includes adaptor to charge mobile devices directly




ORDER NO.	PRODUCT	SOLAR PANEL DIMENSIONS (in)	WEIGHT (lbs)	AMPS	WATTS	SOLAR PANEL WARRANTY (YR)	PRICE
1-12181	GP-SF-1.5	6.5 x 14.5 x 0.5	1	0.1	1.5	1	\$24.99
1-12182	GP-SF-5	14 x 13.25 x 0.5	2.2	0.3	5	1	\$42.99
1-12183	GP-SF-15	12.25 x 36 x 0.5	6.5	0.9	15	1	\$124.99

## DURALite Battery Chargers

### Pro-series Solar Trickle Chargers

- Ideal solar solution for trickle charging your 12 V batteries in your RV or boat
- Easily mounts on any flat surface
- Slim, lightweight and portable
- Designed for all-weather applications
- Indestructible fiberglass laminate
- 5 year warranty



Visit our website at  
[www.gpelectric.com](http://www.gpelectric.com)  
to size your solar charging kit and inverter



ORDER NO.	PRODUCT	SOLAR PANEL DIMENSIONS (in)	WEIGHT (lbs)	AMPS	WATTS	SOLAR PANEL WARRANTY (YR)	PRICE
1-12166	GPDL-5	12 x 11 x 0.25	1.7	0.3	5	5	\$119.99
1-12167	GPDL-10	19 x 12 x 0.25	2.9	0.6	10	5	\$182.99
1-12168	GPDL-20	22 x 19 x 0.25	4.6	1.2	20	5	\$299.99

[gpelectric.com](http://gpelectric.com)

• [sales@gpelectric.com](mailto:sales@gpelectric.com) •

1.866.247.6527

TRC presents

# BEWARE OF THE PEDESTAL

Your RV  
Is At  
The Mercy  
Of The  
Power Pedestal

Surge Guard  
Protects Your RV Against:  
Power Surges • Over/Under Voltage  
Mis-Wired Pedestal • Open Neutral

Available In  
Hardwire And  
Portable Models



**SURGE GUARD**  
RV Power Protection

*Don't Plug-In Without It!*

**SURGE GUARD**  
RV Power Protection

Utility companies try to maintain power at 120 volts but cannot possibly control the vast fluctuations that occur daily called surges, sags and spikes. Power quality is dependent on many factors and is constantly changing because of the intensity of electrical loads, the reliability of connections, proper wiring and weather conditions (wind, lightning, etc.) just to name a few. Poor power quality can affect not only the longevity of your electronic equipment, appliances and motors, but can cost you thousands of dollars in repairs and create frustrating, unnecessary travel delays. The Surge Guard™ family of power protection products are guaranteed to protect your RV's electrical system from damaging faulty park electricity.


## Surge Guard Hardwire Models For RV Power Protection

Automatically shuts off the power when excessive voltage, Low (<102V) and High (>132V), or open neutral is present. Automatic reset on power restoration. Caution indicator light indicates miswired pedestal, reverse polarity and elevated ground voltage. 2 minute 15 second reset delay protects A/C compressor. Fits neatly inside RV's electrical compartment.



**30 Amp Hardwire Unit**  
120V, 30A unit offers 1,050 Joules of power surge protection.  
**1-10293      34520      \$275.00**

**50 Amp Hardwire Unit**  
120/240V, 50A unit offers 1,750 Joules of power surge protection.  
**1-10292      34560      \$375.00**



# Don't Plug In Without It!

## Surge Guard Portable Models with NEW LCD Display

Automatically shuts off the power when excessive voltage, Low (<102V) and High (>132V), or open neutral is present. Automatic reset on power restoration. LCD display will continuously monitor and display (in English) voltage and amp draw on all legs (30A - One leg/50A Legs One & Two). LCD display will also show faults (when occurred) for open neutral, miswired pedestal, reverse polarity and elevated ground voltage. 2 minute 15 second reset delay protects A/C compressor. Convenient plug handles. Weather resistant.



**NEW PRODUCTS**

### 30 Amp Portable Unit with LCD Display

120V, 30A unit has 10/3 AWG cord and offers 2,450 Joules of power surge protection.

**1-10285** 34730-003 \$339.00

### 50 Amp Portable Unit with LCD Display

120/240V, 50A unit has 6/4 AWG cord and offers 3,850 Joules of power surge protection.

**1-10286** 34750-003 \$489.00

## Surge Guard With GFCI Protection

Perfect for pop-ups and travel trailers! Automatically shuts off power when ground faults are present. Manual reset after a ground fault. Provides shock protection. Weather resistant. Convenient plug handles. 10/3 AWG cord.



### 30 Amp Portable Unit

120V, 30A offers 510 Joules of power surge protection.

**1-10297** 44740 \$105.00

## Circuit Analyzer

Identifies faulty park power plus offers surge protection. Analyzes circuits to verify pedestal power. Indicators illuminate to show power status. Tests for and indicates open ground, open neutral, correct polarity.



### 30A Unit

120V, 30A offers 1,020 Joules of power protection.

**1-10288** AECM10086 \$114.00

## Lock Hasp

Prevents unauthorized removal of your portable Surge Guard electrical protector from your RV. Fits all portable Surge Guard models.



Lock not included

**1-10279** 34590 \$27.00

## ELECTRA CHECK Power Monitors

### Digital Monitor

Fully tests incoming power for open ground, reverse polarity, high/low voltage. Three display modes. RMS voltage and frequency meter. Accurate testing and monitoring of all AC power source types. Multi-tone fault alarm. LCD display. Auto reset.



**1-10294** AECM20020 \$69.00

## Surge Guard Bumper to Bumper Power Protection

### Use This Features Chart To Choose The Best Protection For Your RV

	30A Portable 1-10297	30A Portable 1-10288	30A Portable with LCD 1-10285	30A Hardwire 1-10293	50A Portable with LCD 1-10286	50A Hardwire 1-10292
Over/Under Voltage			●	●	●	●
Open Neutral Protection			●	●	●	●
Reverse Polarity Protection			●	●	●	●
Miswired Pedestal Indication		●	●	●	●	●
Ground Fault Protection	●					
Dangerous Current on Ground Wire Indication			●	●	●	●
Time Delay at Power Up (2 min. 15 sec.)			●	●	●	●
Built-In LCD Display			●		●	
Weather Resistant	●	●	●		●	
UL Listed				●		●
Electrical Rating	120V, 30A	120V, 30A	120V, 30A	120V, 30A	120/240V 50A	120/240V 50A
Surge Suppression (Joules)	510	1,020	2,450	1,050	3,850	1,750
Max Spike Current	1,250A	N/A	6,500A	6,500A	6,500A	6,500A

# Electrical & Lighting

**Progressive Industries**

## 30Amp Smart Surge



120V/30A provides 3- Mode, 430 joules and 13,500 -amp surge current rating. The built in surge status indicator notes the polarity, tester checks status of the source prior to use. Sleek, compact, portable design makes it easy to use. No installation required. One year warranty.

**Dimensions:** 12" L x 3" W x 2.5" H

**6-2034** (Mfg# SSP-30) \$99.00

**Progressive Industries**

## 50Amp Smart Surge



240V/50A provides 4-mode, 900 joules, and 39,000-amp surge current rating. The built in surge status indicator notes the condition of the surge protector. Plus the dual line polarity tester checks status of the source prior to use. Sleek, compact, portable design makes it easy to use no installation required. One year warranty.

**Dimensions:** 4 3/4" W x 12 1/2" L x 3" H

**6-2038** (Mfg# SSP50) \$129.00

**Progressive Industries**

## Cheater Box



Plugs into a 30A or 20A source on separate circuits to give user a 50A output. Will not operate on a GFCI circuit. One year warranty.

**Dimensions:** 4 3/4" W x 18" L x 3" H

**6-2037** (Mfg# 230-ADTP30) \$79.00

**Progressive Industries**

## Buddy Box



Allows a user to plug into a 50Amp receptacle and has 2 additional 50amp receptacles. Made of impact resistant ABS plastic, will not corrode, and is weather resistant.

**6-2035** (Mfg# BB-50) \$129.00

**Connecticut Electric**  
Quality Electrical Products Since 1906

## 30A Power Outlet Box W/ Breaker



Box with receptacle and circuit breaker.

**Dimensions:** 9 1/2" H x 5 3/8" W x 4 3/4" D NEMA TT-30R/30 Amp, 1 pole protection.

**1-11802** (Mfg# PSC-13-HR) \$69.50

**Connecticut Electric**  
Quality Electrical Products Since 1906

## 30A Power Outlet Box



**Dimensions:** 6 1/8" H x 5 3/8" W x 4 3/4" D NEMA TT-30R

**1-10509** (Mfg# PS-13-HR) \$44.09

**Connecticut Electric**  
Quality Electrical Products Since 1906

## 50A Power Outlet Box



**Dimensions:** 6 1/8" H x 5 3/8" W x 4 3/4" D NEMA 14-50R

**1-10510** (Mfg# PS-54-HR) \$44.09

**Connecticut Electric**  
Quality Electrical Products Since 1906

## Circuit Breakers



One Pole



Two Pole



Duplex

### One Pole:

- |                                 |        |        |
|---------------------------------|--------|--------|
| <b>1-10513</b> (Mfg# UBI-TB115) | 15 Amp | \$6.20 |
| <b>1-10514</b> (Mfg# UBI-TB120) | 20 Amp | \$6.20 |
| <b>1-10515</b> (Mfg# UBI-TB130) | 30 Amp | \$6.20 |
| <b>1-10516</b> (Mfg# UBI-TB140) | 40 Amp | \$6.20 |

### Two Pole:

- |                                 |        |         |
|---------------------------------|--------|---------|
| <b>1-10530</b> (Mfg# UBI-TB215) | 15 Amp | \$14.49 |
| <b>1-10517</b> (Mfg# UBI-TB250) | 50 Amp | \$6.20  |

### Duplex:

- |                                    |           |         |
|------------------------------------|-----------|---------|
| <b>1-10518</b> (Mfg# UBI-TBBD1515) | 15 Amp    | \$14.49 |
| <b>1-10526</b> (Mfg# UBI-TBBD1520) | 15/20 Amp | \$14.49 |
| <b>1-10527</b> (Mfg# UBI-TBBD2020) | 20 Amp    | \$14.49 |
| <b>1-10528</b> (Mfg# UBI-TBBD2030) | 20/30 Amp | \$14.49 |
| <b>1-10529</b> (Mfg# UBI-TBBD3015) | 30/15 Amp | \$14.49 |

**Connecticut Electric**  
Quality Electrical Products Since 1906

## Flush Plate/Receptacle



### 30 Amp

- |                              |         |
|------------------------------|---------|
| <b>1-10505</b> (Mfg# 1263RV) | \$15.89 |
|------------------------------|---------|

### 50 Amp (not pictured)

- |                               |         |
|-------------------------------|---------|
| <b>1-11795</b> (Mfg# 1258-SP) | \$16.70 |
|-------------------------------|---------|

**Connecticut Electric**  
Quality Electrical Products Since 1906

## Plate/Receptacle



50 Amp

- |                                 |         |
|---------------------------------|---------|
| <b>1-12535</b> (Mfg# 1168-B-RV) | \$27.95 |
|---------------------------------|---------|



## Receptacle with Plate, 30 Amp



**1-13131** (Mfg# 3830) \$11.91

## ParkPower MARINCO

### 15A/125V Power Inlet



Straight blade inlet. Use with any standard 15Amp extension cord. UV resistant housing and cap.

**1-16600** (Mfg# 150BBIW.RV) \$20.09

## ParkPower MARINCO

### 15 Amp Power Inlet



15A 125V straight blade inlet. Use with any standard 15A extension cord. UV resistant housing and cap.

**1-16587** (Mfg# 150BBI.RV) \$20.09

## ParkPower MARINCO

### 20 Amp Power Inlet



20A 125V straight blade inlet. Use with any standard 20A extension cord. UV resistant housing and cap.

**1-16588** (Mfg# 200BBIW.RV) \$20.19

## ParkPower MARINCO

### Weatherproof Cover With Lift Lid



Glass filled polyester construction. Easy lock system. Stainless steel trim. Rear safety enclosure.

**1-16604** (Mfg# 301ELRV) 30A \$65.29  
**1-16613** (Mfg# 6353ELRV) 50A \$98.95

## ParkPower MARINCO

### 30A/125V Female Connector



Designed to be used with any of the 30 Amp power inlets from ParkPower. Built with high quality, corrosion resistant materials, this connector has a 5 year warranty and is UL listed.

**1-16606** (Mfg# 305CRV) \$32.95

## ParkPower MARINCO

### Locking Female Connector



50Amp 125/250V. Use with 7715CRV or 7715ELRV for a weatherproof seal

**1-16616** (Mfg# 6364CRV) \$105.75

## ParkPower MARINCO

### Weatherproof Cover



Weatherproof cover with threaded ring. Use with 305CRV connector for a weatherproof seal.

**1-16582** (Mfg#103RV) \$18.89

## ParkPower MARINCO

### Weatherproof Cover With Easy Lock Ring



Use with 305CRV.

**1-16607** (Mfg# 103ELRV) \$18.89

## ParkPower MARINCO

### Contoured Power Inlet



Glass filled polyester construction. Easy lock system. Stainless steel trim. Watertight cap. Rear safety enclosure.

**1-16605** (Mfg# 304EL-BRV) 30A \$80.95  
**1-16614** (Mfg# 6344EL-BRV) 50A \$114.29

# Electrical & Lighting

## ParkPower MARINCO

### Weatherproof Cover



Weatherproof cover with threaded ring. Use with 6364CRV.

**1-16583** (Mfg# 7715CRV) \$31.59

## ParkPower MARINCO

### Weatherproof Cover With Easy Lock Ring



Use with 6364CRV.

**1-16617** (Mfg# 7715ELRV) \$31.59

## ParkPower MARINCO

### 50A 125/250V Power Inlet



Stainless Steel. Easy Lock System. Watertight Cap. Rear safety enclosure with strain relief.

**1-16615** (Mfg# 6373EL-BRV) \$210.49

## ParkPower MARINCO

### 30Amp Detachable Power Conversion Kit



Kit Includes: 304EL-BRV 30Amp contoured power inlet, 305CRV 30Amp Female Connector, 103RV comfort grip weatherproof cover with threaded ring, Mounting adapters and gaskets, Installation instructions.

**1-16603** (Mfg# 30ARVKIT) \$109.00

## ParkPower MARINCO

### 15A to 30A Adapter



LED power indicator light. Contoured grip. Thumbprint ground blade locator.

**1-16611** (Mfg# 104SPPRV) \$70.95

## ParkPower MARINCO

### 50 Amp Power Cord RV Adapter



50A 125V/250V Female 3-pole, 4-wire locking to 15A 125V male. Allows coaches with 50A locking service to connect to household power. 50A locking connector with 15A straight blade plug. Comfort grip connector. Easy Lock system. Includes threaded ring.

**1-16586** (Mfg# 150SPPRV) \$85.45

## ParkPower MARINCO

### 50A to 30A Adapter



Allows coaches with 50A locking service to access 30A RV park service. 50A 125/250V connector with 30A 125V RV straight.

**1-16620** (Mfg# 124ARV) 1' \$92.89  
**1-16621** (Mfg# 124ARV-25) 25' \$153.49

## ParkPower MARINCO

### RV "Y" Adapter



50A125/250V RV male straight blade plug with two 30A straight blade female connectors. Not weatherproof.

**1-16598** (Mfg# 169AYRV) \$111.25

## ParkPower MARINCO

### 30A RV Power Cord



30 Amp straight blade RV plug with 30 Amp female locking connector. Watertight molded plug and connector ends. Includes Easy Lock™ ring and threaded ring for connection. Super flexible 10/3 cable.

**1-16610** (1PCMVR) 1' \$39.49

## ParkPower MARINCO

### RV 30 Amp Locking Power Cord PlusTM Cordset



Watertight molded plug and connector for safety and durability. Heavy-duty, super flexible marine-grade cable (10-gauge). All models include a standard threaded ring for hook-up to ordinary threaded inlets. Corrosion-resistant, nickel-plated contacts.

PowerCord Plus® added features:  
Power Indicator Light: RV side connector features a molded-in LED light. When it glows red, you know you have power to the RV.  
Contour Grip with Thumbprint Locator: both plug and connector ends are molded to fit the contour of your hand. When the thumbprint is in the 12 o'clock position, the blades line up for easy connection.  
Marinco's Easy Lock™ system: quickly locks the cord set to the inlet in just 1/8 of a turn. The exclusive locking tabs engage slots built into all Marinco® inlets.

**1-16581** (Mfg# 25SPP.RV) 25' \$92.69  
**1-16579** (Mfg# 30SPP.RV) 30' \$120.69

**ParkPower**  
MARINCO

## ParkPower MARINCO

### 50A 125/250V Power Cord



Coach side connector features a molded-in LED light. Thumbprint locator: blades line up for easy connection. Comfort grip connector end is molded to fit the contour of your hand. Easy lock system. Includes threaded ring and easy lock ring. Watertight molded plug and connector ends.

**1-16618** (Mfg# 6152SPPRV-25) 25' \$339.25  
**1-16619** (Mfg# 6152SPPRV-35) 35' \$459.09

## ParkPower MARINCO

### RV 30 Amp Right Angle Locking Cordset



30A 125V Female locking to 30 A 125V male two-pole, 3-wire RV. GripLock™ handle design for easy hook-up and correct blade alignment with inlet, even in darkness. Super flexible 10/3 cable. Watertight molded plug and connector ends. High quality construction. Includes threaded ring and Easy Lock™ ring.

**1-16593** (Mfg# 30RPCRV) \$90.99

## ParkPower MARINCO

### Right Angle RV Adapter



Convert your existing detachable power cord from a straight connection to a right angle connection. Provides minimal cordset protrusion from inlets for more clearance in tight spaces. GripLock™ handle design for easy hook-up and correct blade alignment with inlet, even in the dark. 1-ft super flexible 6/4 cable. Watertight molded plug and connector ends. High quality construction, includes threaded ring and cable. Watertight molded plug and connector ends. Includes threaded ring and Easy Lock™ ring.

**1-16592** (Mfg# 1RPCRV) 30 Amp \$45.75  
**1-16569** (Mfg# 1RPC50RV) 50 Amp \$91.49

## ParkPower MARINCO

### RV Generator Adapter 20 Amp Straight Blade



30A Female-RV, 125V to 20A Male, 125V Straight Blade. Use to connect standard 30A RV cordset to generator equipped with 20A straight blade receptacle (5-20P). Allows more amperage draw than standard 15A adapter. One-piece unbreakable housing. Weather resistant construction.

**1-16585** (Mfg# 126A) \$20.99

## ParkPower MARINCO

### RV Generator Adapter 20 Amp Locking (3 prong)



30A Female-RV, 125V to 20A Male, 125V Locking. Use to connect standard 30A RV cordset to generator equipped with 20A locking receptacle (L5-20P). One-piece unbreakable housing. Weather resistant construction.

**1-16594** (Mfg# 127A) \$36.59

## ParkPower MARINCO

### RV Generator Adapter 20 Amp Locking (4 prong)



30A 125V Female locking to 20A 125V male 4 prong locking. Use to connect standard 30A RV cordset to generator equipped with 20A, 4-prong locking receptacle (L14-20B). One-piece unbreakable housing. Weather resistant construction.

**1-16595** (Mfg# 128A) \$38.89

## ParkPower MARINCO

### Generator Adapter 30 Amp (4 prong)



Use to connect standard 30A RV cordset to generator equipped with 30A, 4-prong locking receptacle (L14-30R). Molded ends with 12" of flexible cable for maximum weatherproofing.

**1-16599** (Mfg# 172ARV) \$46.69

## ParkPower MARINCO

### RV Generator Adapter 50 Amp Locking (3 prong)



Standard 50A straight blade RV cordset to generator equipped with 30A locking receptacle (L5-30R). Molded ends with 12" of flexible cable for maximum weatherproofing.

**1-16596** (Mfg# 173ARV) \$52.59

## ParkPower MARINCO

### RV Generator Adapter 50 Amp Locking (4 prong)



Use to connect standard 50A straight blade RV cordset to generator equipped with 30A, 4-prong locking receptacle (L14-30R). Molded ends with 12" of flexible cable for maximum weatherproofing.

**1-16597** (Mfg# 174ARV) \$53.75

## ParkPower MARINCO

### Generator Adapter 30 Amp (3 prong)



Use to connect standard 30A RV cordset to generator equipped with a 30A locking receptacle (L5-30). One-piece unbreakable housing. Weather resistant construction.

**1-16634** (Mfg# 125A) \$25.69

# Electrical & Lighting



## Generator Adapter

30A Male to 30A Female. For connecting a generator with a LS-30 locking plug receptacle to an RV that uses a standard RV cord set (TT-30) to connect to 120V AC shore power



**5-55333** (Mfg# 55333) \$12.25



## Generator Adapter



16.5" Dogbone. 30M/30F 125V

**5-55272** (Mfg# 55272) \$23.70



## Power Grip™ Generator Adapters



12" adapters for connecting a generator with a locking plug receptacle to an RV that uses a standard 50A RV cord set. Features the patented Power Grip™ handles.

Connects to a L5-30 locking plug receptacle and is rated for 125V/3750W  
**5-55412** (Mfg# 55412) \$32.99

Connects to a L14-30 locking plug receptacle and is rated for 125V/250V, 3750/7500W  
**5-55422** (Mfg# 55422) \$48.99



## Power Grip™ 4 Prong Generator Adapter Dogbone



16.5" adapter for connecting a generator with a L14-30 locking plug receptacle to a RV that uses a standard RV cord set (TT-30) to connect to 120V AC shore power. 125V/3750W.

**5-55382** (Mfg# 55382) \$32.99



## Locking Electrical Adapters

For hooking your marine-style 30-Amp RV power inlet to a standard power source. Threaded locking ring helps to create a weatherproof connection. Patented.



30 amp Female Locking/Male Standard Power Grip, 18"

**5-55512** (Mfg# 55512) 18" \$36.99



30F Locking Adapter/30M Std Power Grip, 25'

**5-55501** (Mfg# 55501) 25' \$69.99



## Locking Electrical Adapters

Connect your marine-style 50 Amp RV power inlet to a standard power source. Threaded locking ring creates a weatherproof connection. Patented.



50 amp Male Std / 50 amp Female Locking Adapter PowerGrip 18"

**5-55552** (Mfg# 55552) \$46.99



50 amp Male Std / 50 amp Female Locking Adapter Extension Cord- 25'

**5-55542** (Mfg# 55542) \$325.00



## 90° Locking Electrical Adapters

90° connector reduces strain on the cord and allows easier connection in tight places. Threaded locking ring helps to create a weatherproof connection. Patented and patent pending.



30 amp Female Locking/Male Standard Power Grip, 18", 90°

**5-55522** (Mfg# 55522) 18" \$39.99



50 amp Male Std / 50 Amp Female -90 Degree 18"

**5-55562** (Mfg# 55562) \$49.99



50 amp Male / 50 Amp Female Locking -90 Degree 18"

**5-55572** (Mfg# 55572) \$49.99



## Offset Electrical Adapter



- 15 Amp Male - 30 Amp Female
- Unique design holds cord more securely
- Housing made of PVC
- CSA approved

**1-02049** (Mfg# M-3024-A) pkg. \$7.59



## Reverse Electrical Adapter



- 30 Amp Male - 15 Amp Female
- Housing made of PVC
- CSA approved

**1-02227** (Mfg# M-3026-A) pkg. \$10.35



## Flip-Flop Electrical Adapter



Adapts 30A power cords to 15A plugs. Places the back of the heavier 30A cord against the outlet box, easing the normal downward pressure. Molded with a moisture deterrent shroud around the 30A portion. For temporary use. CSA approved. 15M - 30F.

**1-02079** (Mfg# M-3022-A) Pkg. \$9.59



## Adapters



**16-00500**

**16-00501**

**16-00500** 15A Male /30A Female \$2.59  
**16-00501** 30A Male/15A Female \$2.59



## Adapter w/ Indicator Light



15 amp male to 30 amp female, 125V-1875W

**5-55223** (Mfg# 55223) \$5.21



## Adapter w/ Indicator Light



30 amp male to 15 amp female, 125V-1875W

**5-55233** (Mfg# 55233) \$6.21



## Electrical Adapter



Not for permanent use. PVC. Solid brass contacts. 30F-15M

**1-10204** (Mfg# A10-0014VP) Pkg. \$2.88  
**1-10206** (Mfg# A10-0014) Bulk \$2.48



## Reverse Electrical Adapter



Not for permanent use. PVC. Solid brass contacts. 15F-30M

**1-10203** (Mfg# A10-0012) Bulk \$2.55



## 90° Electrical Adapter



Space-saving 90° connection. Power indicator light. Comfort grip with non-slip grooves. 15A male to 30A female 125V/1875W.

**5-55325** (Mfg# 55325) \$4.69



## 50 Amp Female to 30 Amp Male Adapter



Made of superior, durable, high impact, heat resistant plastic, and heavy-duty highly conductive metal parts. Solid ground pin provides improved ground connection for safety, while the molded in finger grips make it easier to disconnect after use. No cable is used therefore eliminating cable separation. 1 year Warranty.

**6-2039** (Mfg# 5030) \$19.40



## 30A Replacement Receptacle



120V/30A, designed to replace old, worn out molded receptacle ends found on extension cords adapter, and surge protectors. 3 Year Warranty.

**6-2036** (Mfg# TT-30R) \$14.50



## 50A Replacement Receptacle



Ideal for replacing worn extension cord or adapter ends without replacing the whole cord set. Made of high impact plastic and is easy to install. 3-year warranty.

**6-2040** (Mfg# TT-50R) \$24.95

# Electrical & Lighting



## Power Grip Replacement Receptacle



Use Power Grip™ Receptacles with handles to replace your 30AMP power cord receptacles. Handles provide a secure grip for ease of use. Patent pending.

**5-55343** (Mfg# 55343) 30 Amp \$17.99  
**5-55353** (Mfg# 55353) 50 Amp \$19.99



## Power Grip Replacement Plugs



Replace your power cord plugs with the Power Grip replacement plug with handle for ease of use.

**5-55245** (Mfg# 55245) 30Amp \$17.99  
**5-55255** (Mfg# 55255) 50Amp \$19.99



## Power Grip Power Maximizer 50 AMP Adapter



When connecting your RV's 50 Amp power cord to a power panel, don't be limited to just 15 or 30 amps. Camco's PowerGrip™ Power Maximizer combines the power from a 15 and a 30 Amp outlet allowing your RV to receive up to 45 Amps!

**5-55025** (Mfg# 55025) \$49.99



## Dogbone Adapter 30M to 15F



125Volt. 1875Watt.

**5-55155** (Mfg# 55155) \$12.70



## Dogbone Adapter 15M to 30F



125 Volt. 1875 Watt.

**5-55165** (Mfg# 55165) \$12.70



## PowerGrip Extenders



**5-55205** (Mfg# 55205) 30Amp \$20.19  
**5-55215** (Mfg# 55215) 50Amp \$21.75



## 18" Dogbone Adapter



50M to 30F. 125Volt. 3750 Watt.

**5-55175** (Mfg# 55175) \$22.19



## 18" Dogbone Adapter



30M to 50F. 125 Volt. 3750 Watt.

**5-55185** (Mfg# 55185) \$22.19



## Pigtail Adapters



**1-16573**



**1-16574**

Extra wide handles, for maximum grip and easier use. Color coded plugs and connectors take the guesswork out of connecting the correct electrical ends. Heavy-duty molded connections, tested to strict UL standards. Durable, UL listed 10/3 cable. 5 year warranty.

**1-16573** (Mfg# 3050ARV)  
 30A Male to 50A Female \$23.95

**1-16574** (Mfg# 5030ARV)  
 50A Male to 30A Female \$23.95



## 18" Adapter



30 Amp Male to 50 Amp Female

**16-00554** \$13.96



## 18" Adapter



50 Amp Male to 30 Amp Female

**16-00555** \$13.96



## EZEE 12" Adapters

**16-00502**

**16-00503**



**16-00502** 12" 15A Male /30A Female \$10.80  
**16-00503** 12" 30A Male/15A Female \$10.80



### 50 Amp Right Angle Power Cord




**16-00563**

25'

\$139.99



### 30 Amp Right Angle Female Pigtail



**16-00565** 18" Female  
**16-00564** 18" Male

\$7.89  
\$7.75



### 30 Amp Right Angle Power Cord



**16-00562**

25'

\$45.99



### Extension Cords



**16-00557**

30 Amp, 10'

\$30.02

**16-00558**

30 Amp, 25'

\$47.99

**16-00559**

30 Amp, 50'

\$92.50

**16-00561**

50 Amp, 30'

\$159.99



### EZEE Grip Extension Cord



**16-00507** 30 Amp/15'

\$42.11



### Power Grip™ Extension Cord with Handles



This cord features the patented Power Grip handles for ease of use. Includes a convenient carrying strap.

**5-55197** (Mfg# 55197) 30 Amp/50' \$99.99

**5-55195** (Mfg# 55195) 50 Amp/30' \$160.75



### 30 AMP Power Grip™ Extension Cord with Handles



Extension cord, 10 Ga. grounded STW, 30A, 125V / 3750W. 30 Amp.

**5-55191** (Mfg# 55191) 25'

\$48.88

# GET A GRIP

CAMCO'S

# POWER GRIP™

ELECTRICAL ACCESSORIES



Exclusive,  
built-in,  
fully molded  
handles  
are more  
durable  
and easier  
to use.



**15, 30 AND 50 AMP ADAPTERS**  
available to accommodate  
any campground hookup.



**CAMCO**



**Stay connected  
with ParkPower.**



174ARV

At ParkPower, we make it easier to connect with AC and DC Power. ParkPower RV generator adapters allow you to connect a standard RV cordset to different types of electrical receptacles found on portable generators. We offer the widest variety of RV generator adapters, so you can stay connected when power is needed most.



172ARV

173ARV

125A

126A

127A

128A

**ParkPower**  
*by Marinco*

[marinco.com](http://marinco.com)

PKP\_AD\_024\_1011